WATCO®

Always a step ahead®

Product Guide

Schedule 40 ____ 6-25
- Flexible Series ____ 6
- Innovator®Cable Series ____ 8
- 9300 Innovator®Shower Drain ____ 11
- 9400 Insta-Grip™Shower Drain 11
- 900 Innovator®Series ____ 12
- 900 Innovator®Drain Series ____ 17
- 400 Perfect Fit Series ____ 22
- 600 One-Hole Series ____ 23

Tubular Plastic ____ 26-28

Tubular Brass ____ 29-37

Lavatory ____ 38-40

Trim Kits ____ 41-52
Tub Closures ____ 53-54
Faceplate Kits ____ 55

Bushings/Accessories ____ 56

Spec Sheets ____ 57-64

Terms & Conditions ____ 65
Freight Allowance ____ 65
Tech Notes ____ 66-67

Shower Drains



Page 11



Flex
Eliminates Offsets
Page 6



IdealLav™
Removable Grid
Internal Stopper
Page 38



QuickTrim®
Easy to Change Finish
Page 48



Universal NuFit®
Makes Old Drains New
Page 40



901 Innovator®
The Industry Standard
Page 13

Bath Wastes and Trim Kits

Table of Contents

QUICK-FIND PRODUCT NUMBER LOCATOR 4-5

SCHEDULE 40

FLEXIBLE BATH WASTES

WatcoFlex®	Direct Drains with Direct Drain Tee	6
Flex900 Series	Flex916 / Flex924 with Sanitary Tee	7
Flexible Innovator CableFlex® Series	928 / 938 / 948 CableFlex®	8
Flexible Innovator Drain Series	Flex916N & Flex924N	19

INNOVATOR CABLE®

CableFlex®	928 / 938 / 948 CableFlex®	8
Schedule 40 rigid pipe	970 / 980 / 990 Cable	9
Cable Half Kits	971 / 981 / 991 Cable	10

SCHEDULE 40 BATH WASTES

Innovator® Shower Drain	9300 Innovator® Shower Drain	11
900 Series	900 / 902 Innovator® Series	12-15
915 / 917 / 918 Half Kits with Hub or Spigot Adapters		16
	920 / 921 / 951 / 961 ABS stopper/knob, zinc or brass bodies	12-13
	940 / 941 Innovator® Plus Series	12-15
Innovator® Drain Series	900N / 901N / Flex916N / Flex924N / Stoppers	17-21
Perfect Fit Series	400 / 401 Perfect Fit Series	22
600 Series	600 / 601 1-Hole Faceplate Series	23
	Trip Lever / SLIPLOCK® / TURNSTYLE®	24
	620 / 621 / 651 / 661 ABS stopper/knob, zinc or brass bodies	24
	610 / 612 / 614 / 615 / 616 / 617 with Hub or Spigot Adapters	25

TUBULAR PLASTIC

500 Series	500 / 550 / 2-Hole / SLIPLOCK® Bath Wastes	26
	500 / 550 Trip Lever / QUICK ADJUST® / TURNSTYLE®	27
	510 Quarter Kit / 590 / 594 Innovator®	28
	595 Innovator® & 515 Direct Drains	28

TUBULAR BRASS

501 / 502 Series	501 / 551 Series – 502 / 552 Series, 17 & 20-gauge	31-32
Trip-Lever Type	501 / 502 – 551 / 552 QUICK ADJUST® & Trip Lever	33
	501 / 502 – 551 / 552 TURNSTYLE®	34
Tub Closures / Direct Drains	511 Tub Closures – 512 & 593 Innovator® Direct Drains	34
Innovator Brass Drains	591 / 598 – 592 / 599 Innovator® 17 & 20-gauge	35-36
Cable / Chicago-Code	528 / 538 Cable, 20g – 567 / 568 Chicago Code, 17g	37

LAVATORY DRAINS

800 / 801 Series – 700 ABS 38-40

TRIM KITS / TUB CLOSURES / REPLACEMENT STOPPERS

Trim Kits	Universal NuFit® Trim Kits and Tub Closures	41-44
	NuFit® Trim Kits and Tub Closures	45-46
	QuickTrim® Trim Kits and Tub Closures	47
	528/538 Brass Cable Trim Kits; Innovator Cable Trim Kits	48
	Coarse-Thread / Fine-Thread Innovator® & 1-Hole Trim Kits	49-50
	Trip-Lever Type Trim Kits	51-52
Tub Closures / Replacement Stoppers / Faceplate Kits		53-55

BUSHINGS / ACCESSORIES

Bushings / Test Kits / Measuring Kits / Miscellaneous 56

OTHER INFORMATION

Spec Sheets	Schedule 40:57-61 / Tubular Plastic: **61-63** / Brass: **63-64**
Carded Packaging (NOTE: Place "-C" at end of part number.)	65
Policies and Miscellaneous Information	65
TechNotes	66-67

Pricing available on www.watcomfg.com

Bath Waste Numbering System

Example of Product #:

901 — **FA** — **PVC** — **CP** — ***

Series Number — *Stopper* — *Material* — *Finish*

1 SERIES

Examples:

FLEX
FLEX916
928-CA
970-CA
971-CA
900
901
902
915
917
921
951
952
900N
901N
902N
401
600
601
621
651
661
610
612
614
615
617
500
550
510
515
595
590
501
591


Etc.

2 STOPPERS

CA =  CABLE

FA =  FOOT ACTUATED

LT =  LIFT AND TURN

PF =  PRESFLO®

PP =  PUSH PULL®

SL =  SLIP LOCK®

TL =  TRIP LEVER

TQ =  TL QUICK ADJUST®

TS =  TURNSTYLE®

3 TUBING / FITTING MATERIAL



ABS
Acrylonitrile Butadiene Styrene
(Black)



BRS
17-Gauge & 20-Gauge Brass Pipe



FLEX
Flexible PVC Pipe
(Green)



PVC
Polyvinyl Chloride
(White)

4 FINISHES AVAILABLE



BB*
(Champagne Bronze)



BN*
Brushed Nickel



BO
Bone



BS
Biscuit



BZ
Oil-Rubbed Bronze



CB
Chrome Brushed



CP
Chrome Plated



NP*
Nickel Polished



PB*
Polished Brass



WH
White



WI
Wrought Iron
(Matte Black)

* PVD Finish

5 OPTIONS

*** *Many options are available and are found throughout the various products.*

Pricing available on www.watcomfg.com

Product Index

Find products beginning with...

ITEM #	PAGE
1	
10121	56
10770	51
10771	51
11111-SET	56
11114	56
11519	53
11547	41-44
11551	41-44
11554	41-44
11565	56
11573	56
11574	56
11577	56
11579	56
11587	56
11594	55
18001	55
18002	55
18003	55
18009	55
18660	51
18661	51
18662	51
18663	51
18702	55
2	
20200	52

ITEM #	PAGE
3	
38080	50
38090	50
38100BUSH	56
38101	56
38102	56
38103	56
38104	56
38105	56
38106	56
38107	56
38108	56
38109	56
38110	56
38111	56
38112	56
38113	56
38114	58
38115	56
38116	56
38170	52
38180	52
38190	50
38194	50
38212	50
38219	54
38220	54
38250	49
38260	50
38270	50
38280	49
38290	49
38296	49
38301	54
38305	54
38306	54
38307	54
38308	54
38309	54
38312	54
38313	54


ITEM #	PAGE
3 Cont.	
38317	54
38319	54
38321	54
38325	54
38329	53
38333	53
38350	54
38360	53
38370	53
38375	54
38380	54
38385	54
38390	49
38390W	49
38410	53
38412	53
38420	50
38433	49
38490	50
38516	53
38520	53
38530	53
38540	53
38610	53
38651	53
38660	51
38661	51
38702	51
38710	53
38770	52
38771	52
38810	53
38812	53
38921	53
39100	52
39290	47
39500	52
39551	52

ITEM #	PAGE
4	
400-	22
401-	22
48100	46
48200	46
48300	46
48301	48
48400	46
48500	46
48600	46
487SA-PP	44
48700-FA	43
48700-PP	41-42
48750-FA	46
48750-PP	43
5	
500-	26
500-SL	26
500-TQ	27
500-TS	27
501-	31
501-TQ	33
501-TS	34
502-	32
502-TQ	33
502-TS	34
510-	28
511-	34
512-	34
515-	28

ITEM #	PAGE
5	
551-TS	34
552-	32
552-TQ	33
552-TS	34
567	37
568	37
58080	50
58190	50
58220	54
58290	50
58296	50
58301	54
58305	53
58306	53
58307	54
58308	54
58309	54
58317	54
58319	54
58321	54
58329	53
58333	53
58350	54
58390	49
58390W	49
58433	49
58490	50
590-	28
591-	35
592-	36
59290	47
593-	34
594	28
595-	28
598-	35
599-	36


OPTIONAL TUB CLOSURES FOR MOST WATCO COARSE-THREAD BATH WASTES - 1.865"X11.5 TPI

PUSH PULL®
Coarse Thread




1. 01010CP
   01010___*
   11307CP**
2. 11584
3. 01013CP
   01013___*
   11290CP**
4. 11507
5. 01016CP*
   01016___*
   11492CP**

LIFT & TURN
Coarse Thread




1. 01010CP
   01010___*
2. 11079
3. 11088
4. 11290CP
   01013___*
5. 11507
6. 11492CP
   01016___*

PRESFLO®
Coarse Thread




1. 11145CP
   11145___*
2. 11132
3. 11060CP
   11060___*
4. 96039:
   Suction Cup
   for removing stopper

FOOT ACTUATED
Coarse Thread



1. 38412CP
   38412___*
2. 11492CP*
   01016___*

SL, TL, TQ, TS



1. 01040CP
   01040___*
2. 01006CP
   01006___*
3. 11495CP

** If finish other than Chrome is desired, please use this part number and indicate desired finish.*
*** Plastic Knob, Stopper, and Zinc Body*

For 12 tpi, see pages 49 and 53.

Pricing available on www.watcomfg.com

Product Index

Find products beginning with...

ITEM #	PAGE
6	
600-	23
600-SL	24
600-TL	24
600-TS	24
601-	23
610-	25
612-	25
614-	25
615-	25
616-	25
617-	25
620-	24
621-	24
650-TL	24
650-TS	24
651-	24
661-	24
68080	50
68190	50
68290	49
68296	49
68301	54
68305	53
68306	53
68307	54
68308	54
68309	54
68317	54
68319	54
68321	54
68329	53
68333	53
68390	49
68390W	49
68433	49
68490	50
69290	49

ITEM #	PAGE
Lavatory 7	
715-P	39
715-B	39
8	
800-PP	38
800-PF	38
801-PP	38
801-PF	38
815-P	39
815-B	39


ITEM #	PAGE
9	
900-	12
900N-	17
900NRI-	17
900NSA	21
900NSF-	17-19
900TK	21
901-	13
901N-	18
901NRI-	18
902-	15
91050-	47
91100	51
91105	51
915-	16
91600	52
91610	50
91615	47
91618	47
917-	16
918-	16
920	13
921	14
928-CA	8
928-CASF	8-10
92867 (#23)	57
92874	8-10
92888	48
92900	48
92999	48
930NG	11
9300	11
9400	11
938-CA	8
938080	50
938190	50
938250	49
938260	50
938270	50
938290	49
939290	47

ITEM #	PAGE
9 Cont.	
940-	12
941-	15
948-CA	8
948100	45
948400	45
948500	43
948700-FA	41-42
948700-PP	13
951	50
958080	50
958190	49
958290	47
959290	50
968080	50
968190	49
968290	47
969290	9
970-CA	10
971-CA	9
980-CA	10
981-CA	9
990-CA	10
991-CA	10

ITEM #	PAGE
A - Z	
FLEX__	6
FLEX916	7
FLEX916N	19
FLEX916NRI	19
FLEX924	7
FLEX924N	19
FLEX924NRI	19
U39290	47
U939290	47
W900-	12
W901	13
Condensate Adapter	56


Pricing available on www.watcomfg.com

OPTIONAL TUB CLOSURES FOR MOST WATCO FINE-THREAD BATH WASTES - 1.625"X16 TPI



PUSH PULL®
Fine Thread

1. 01010CP
   01010___*
   11307CP
2. 11584
3. 01013CP
   01013___*
   11290CP**
4. 11507
5. 01022CP*
   01022___*




LIFT & TURN
Fine Thread

1. 01010CP
   01010___*
2. 11079
3. 11088
4. 11290CP
   01013___*
5. 11507
6. 01022CP
   01022___*



PRESFLO®
Fine Thread


1. 11155CP
   11155___*
2. 11131
3. 11070CP
   11070___*
4. 96039:
   Suction Cup
   for removing stopper



FOOT ACTUATED
Fine Thread

1. 38412CP
   38412___*
2. 01022CP*
   01022___*

SL, TL, TQ, TS



1. 01040CP
   01040___*
2. 01006CP
   01006___*
3. 11490CP

** If finish other than Chrome is desired, please use this part number and indicate desired finish.*
*** Plastic Knob, Stopper, and Zinc Body*

For 14 tpi, see pages 50 and 54.

Innovator® Flex Series

(Flexible Tubing • Built-In Testing & Snap-On Overflow Plate • Coarse Thread: 11.5 tpi)

WatcoFlex®

Direct Drain Only

Complete Bath Wastes
Rough-In Kits
Stopper/Faceplate Kits

PVC and ABS Fittings

See Web XLXS for ABS Fittings

12 Per Carton





WITH OPTIONAL W-OVERFLOW COVER

Fits Kohler's Tea-for-Two tub.



FLEX___-___-CP-T42	**Call**
BN-BZ-CB-NP-PB	**Call**



LT LIFT AND TURN



PP PUSH PULL®



PF PRESFLO® ADA



FA FOOT ACTUATED ADA

COMPLETE BATH WASTE KIT

Complete Bath Wastes Lengths 14.5" to 17" Long	Part Number
	FLEX___-LT-PVC-CP
	FLEX___-PP-PVC-CP
	FLEX___-PF-PVC-CP
	PF: Not in BO-BS-WH
	FLEX___-FA-PVC-CP
	FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI

Complete Bath Wastes Lengths 17.5" to 21" Long	Part Number
Call For FLEX215 and Longer	FLEX___-LT-PVC-CP
	FLEX___-PP-PVC-CP
	FLEX___-PF-PVC-CP
	PF: Not in BO-BS-WH
	FLEX___-FA-PVC-CP
	FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI

ROUGH IN

RI (Rough-IN) Fittings-Tubing-Strainer Body Lengths 14.5 "to 17" Long	Part Number
	FLEX___-ZRI-PVC-CP - Chrome Only
	FLEX___-BRI-PVC-CP - CP & Finish
	FLEX___-PFRI-PVC-CP
	PF: Not in BO-BS-WH
	FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI

RI (Rough-IN) Fittings-Tub-ing-Strainer Body Lengths 17.5" to 21" Long	Part Number
Call For FLEX215 and Longer	FLEX__-ZRI-PVC-CP - Chrome Only
	FLEX__-BRI-PVC-CP - CP & Finish
	FLEX___-PFRI-PVC-CP
	PF: Not in BO-BS-WH
	FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI

+PLUS+ Stopper/Face Plate

900-Series SF (FLEX__) STOPPER/FACE PLATE NOT A TRIM KIT-NO STRAINER BODY	PartNumber
	900-LTSF-0-CP
	900-PPSF-0-CP
	900-PFSF-0-CP
	PF: Not in BO-BS-WH
	900-FASF-0-CP
	FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI

Example Product #:

FLEX230 — ***PF*** — ***PVC*** — ***CP*** — *******

Series Number *Tub Closure* *Material* *Finish* *Option*

Each WatcoFlex® bath waste is custom-fit to each bathtub model.

PLEASE PROVIDE THE TUB MANUFACTURER AND MODEL NUMBER WHEN ORDERING.

FLEX___: The length portion (___) of the WatcoFlex® model number will be determined by the tub's dimensions.

Choose either a complete bath waste OR a rough-in kit and stopper/faceplate kit.

Other Finishes:

BB	Champagne Bronze	BZ	Oil-Rubbed Bronze	WH	White
BN	Brushed Nickel	CB	Chrome Brushed	WI	Matte Black
BO	Bone	NP	Nickel Polished		
BS	Biscuit	PB	Polished Brass		

Patented and Patents Pending
See watcomfg.com for details.

Pricing available on www.watcomfg.com

Innovator® Flex Series

(Flexible Tubing • Built-In Testing & Snap-On Overflow Plate • Coarse Thread: 11.5 tpi)

Flex900 Series

Flex916 and Flex 924
Sanitary Tee and Drain Pipe

Complete Bath Wastes
Rough-In Kits
Stopper/Faceplate Kits

PVC and ABS Fittings

See Web XLXS for ABS Fittings

12 Per Carton



To order the Flex916 or Flex924 without a Tee or Drain Pipe, add "-13" to part number.

Example:
FLEX916-PP-PVC-CP-13

*Available only in -CP

LT — LIFT AND TURN

PP — PUSH PULL®

PF — PRESFLO® ADA

FA — FOOT ACTUATED ADA

COMPLETE BATH WASTE KIT

Complete Bath Wastes With Tubing 16" Long	Part Number
	FLEX916-LT-PVC-CP
	FLEX916-PP-PVC-CP
	FLEX916-PF-PVC-CP
	PF: Not in BO-BS-WH
	FLEX916-FA-PVC-CP
	FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI

Complete Bath Wastes With Tubing 24" Long	Part Number
	FLEX924-LT-PVC-CP
	FLEX924-PP-PVC-CP
	FLEX924-PF-PVC-CP
	PF: Not in BO-BS-WH
	FLEX924-FA-PVC-CP
	FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI

ROUGH IN

RI (Rough-IN) Fittings - Tubing - Strainer Body With Tubing 16" Long	Part Number
	FLEX916-ZRI-PVC-CP - Chrome
	FLEX916-BRI-PVC-CP - CP & Finish
	FLEX916-PFRI-PVC-CP
	PF: Not in BO-BS-WH
	FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI

RI (Rough-IN) Fittings - Tubing - Strainer Body With Tubing 24"Long	Part Number
	FLEX924-ZRI-PVC-CP - Chrome
	FLEX924-BRI-PVC-CP - CP & Finish
	FLEX924-PFRI-PVC-CP
	PF: Not in BO-BS-WH
	FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI

+PLUS+ Stopper/Face Plate

900-Series SF (FLEX__) STOPPER/FACEPLATE NOT A TRIM KIT - NO STRAINER BODY	Part Number
	900-LTSF-0-CP
	900-PPSF-0-CP
	900-PFSF-0-CP
	PF: Not in BO-BS-WH
	900-FASF-0-CP
	FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI

Example Product #:

FLEX916 — ***PF*** — ***PVC*** — ***CP*** — *******

Series Number *Tub Closure* *Material* *Finish* *Option*

The Overflow end of the Flex tubing is factory-welded.
The Tee end of the Flex tubing is loose, designed to be cut and fit in the field, using standard PVC-joining techniques.

Choose either a complete bath waste OR a rough-in kit and stopper/faceplate kit.

Other Finishes:

BB	Champagne Bronze	BZ	Oil-Rubbed Bronze	WH	White
BN	Brushed Nickel	CB	Chrome Brushed	WI	Matte Black
BO	Bone	NP	Nickel Polished		
BS	Biscuit	PB	Polished Brass		

Pricing available on www.watcomfg.com

WATCO

Innovator Cable Flex®

(Flexible PVC Tubing • OF Elbow Spin-Welded to Tubing • Built-In Testing • Coarse Threads: 11.5 tpi)

Innovator CableFlex®

Fully-Testable Cable Bath Waste

- Fully repairable from inside the tub.
- Overflow installs in minutes.
- Self-centering, aligning, and self-sealing overflow.
- Positive mechanical stop stays open in deep water.

Schedule 40 Fittings, PVC

See Web XLXS for ABS Fittings

12 Per Carton



928-CA-PVC-CP
Testable Cable

928-CA (21" cable)
Fits most tubs up to 16" deep

938-CA (34" cable)
Fits most tubs up to 24" deep

948-CA (48" cable)
Fits most tubs up to 36" deep

Patented and Patents Pending
See watcomfg.com for details.

COMPLETE BATH WASTE KIT

Complete Bath Wastes Most Tubs up to 16" Deep	Part Number
	928-CA-PVC-CP

Most Tubs up to 24" Deep	Part Number
	938-CA-PVC-CP

Most Tubs up to 36" Deep	Part Number
	948-CA-PVC-CP

Other Finishes:

BB	Champagne Bronze	BZ	Oil-Rubbed Bronze	PB	Polished Brass
BN	Brushed Nickel	CB	Chrome Brushed	WH	White
BS	Biscuit	NP	Nickel Polished	WI	Matte Black

Example Product #:

928* — *CA* — *PVC* — *CP* — ****

Series #Tub Closure Material Finish Option

ROUGH IN

Fittings - Tubing - Strainer Most Tubs up to 16" Deep	Part Number
	928-CARI-PVC-CP

Most Tubs up to 24" Deep	Part Number
	938-CARI-PVC-CP

Most Tubs up to 36" Deep	Part Number
	948-CARI-PVC-CP

+PLUS+ Stopper/Face Plate

SF - Stopper/Faceplate For All Innovator Cable Models Not a Trim Kit - No Strainer Body	Part Number
	928-CASF-CP

Other Finishes:

BB	Champagne Bronze	BZ	Oil-Rubbed Bronze	PB	Polished Brass
BN	Brushed Nickel	CB	Chrome Brushed	WH	White
BS	Biscuit	NP	Nickel Polished	WI	Matte Black

To quickly change the finish of the roughed-in strainer body, order the 928-CASF (above) with the Watco QuickTrim® strainer body cover and o-ring. Simply snaps over the existing strainer body. Order below.

QuickTrim® Strainer Body Cover and O-Ring	Part Number
	928-CASF-CPQ



Other Finishes:

BBQ	Champagne Bronze	BZQ	Oil-Rubbed Bronze	PBQ	Polished Brass
BNQ	Brushed Nickel	CBQ	Chrome Brushed	WHQ	White
BSQ	Biscuit	NPQ	Nickel Polished	WIQ	Matte Black

Order ADA Handle separately



Part Number
92874-CP

BB	Champagne Bronze	BZ	Oil-Rubbed Bronze	PB	Polished Brass
BN	Brushed Nickel	CB	Chrome Brushed	WH	White
BS	Biscuit	NP	Nickel Polished		



Add "-TR" to cable part number.
Example: 938-CA-PVC-BZ-TR

Pricing available on www.watcomfg.com

WATCO... Always a Step Ahead.™

Innovator Cable® Complete Kit

(Solvent-Weld Assembly • Built-In Testing • Coarse Thread: 11.5 tpi)

Innovator Cable®
Fully-Testable Cable Bath Waste

- Fully repairable from inside the tub.
- Overflow installs in minutes.
- Self-centering, aligning, and self-sealing overflow.
- Positive mechanical stop stays open in deep water.

Schedule 40 Fittings, ABS and PVC



970-CA-PVC-CP
Testable Cable

970-CA (21" cable)
Fits most tubs up to 16" deep

980-CA (34" cable)
Fits most tubs up to 24" deep

990-CA (48" cable)
Fits most tubs up to 36" deep

See Web XLXS for ABS Fittings

12 Per Carton

Patented and Patents Pending
See watcomfg.com for details.

Pricing available on www.watcomfg.com

COMPLETE BATH WASTE KIT

Complete Bath Wastes Most Tubs up to 16" Deep	Part Number
	970-CA-PVC-CP

Most Tubs up to 24" Deep	Part Number
	980-CA-PVC-CP

Most Tubs up to 36" Deep	Part Number
	990-CA-PVC-CP

Other Finishes:

BB	Champagne Bronze	BZ	Oil-Rubbed Bronze	PB	Polished Brass
BN	Brushed Nickel	CB	Chrome Brushed	WH	White
BS	Biscuit	NP	Nickel Polished	WI	Matte Black

Example Product #:

980 — ***CA*** — ***PVC*** — ***CP*** — *******

Series # Tub Closure Material Finish Option

ROUGH IN

Fittings - Tubing - Strainer Most Tubs up to 16" Deep	Part Number
	970-CARI-PVC-CP

Most Tubs up to 24" Deep	Part Number
	980-CARI-PVC-CP

Most Tubs up to 36" Deep	Part Number
	990-CARI-PVC-CP

+PLUS+ Stopper/Face Plate

SF - Stopper/Faceplate For All Innovator Cable Models Not a Trim Kit - No Strainer Body	Part Number
	928-CASF-CP

Other Finishes:

BB	Champagne Bronze	BZ	Oil-Rubbed Bronze	PB	Polished Brass
BN	Brushed Nickel	CB	Chrome Brushed	WH	White
BS	Biscuit	NP	Nickel Polished	WI	Matte Black

TRIM KITS for Innovator CableFlex® & Innovator Cable®

Regular and QuickTrim cable trim kits available.
For full selection see page 48.



92999



92888

To quickly change the finish of the roughed-in strainer body, order the 928-CASF (above) with the Watco QuickTrim® strainer body cover and o-ring. Simply snaps over the existing strainer body.
Order below.

QuickTrim® Strainer Body Cover and O-Ring	Part Number
	928-CASF-CPQ



Other Finishes:

BBQ	Champagne Bronze	BZQ	Oil-Rubbed Bronze	PBQ	Polished Brass
BNQ	Brushed Nickel	CBQ	Chrome Brushed	WHQ	White
BSQ	Biscuit	NPQ	Nickel Polished	WIQ	Matte Black

Innovator® Cable® Half Kit

(Solvent-Weld Assembly • Built-In Testing • Coarse Thread: 11.5 tpi)

Innovator Cable®


Fully-Testable Cable Half Kits

- Fully repairable from inside the tub.
- Overflow installs in minutes.
- Self-centering, aligning, and self-sealing overflow.
- Positive mechanical stop stays open in deep water.

Schedule 40 Fittings, ABS and PVC

See Web XLXS for ABS Fittings

12 Per Carton



971-CA-PVC-CP
Testable Cable

971-CA (21" cable)
Fits most tubs up to 16" deep

981-CA (34" cable)
Fits most tubs up to 24" deep

991-CA (48" cable)
Fits most tubs up to 36" deep

Patented and Patents Pending
See watcomfg.com for details.

BATH WASTE HALF KIT

COMPLETE BATH WASTE KIT

Complete Bath Wastes Most Tubs up to 16" Deep	Part Number
	971-CA-PVC-CP

Most Tubs up to 24" Deep	Part Number
	981-CA-PVC-CP

Most Tubs up to 36" Deep	Part Number
	991-CA-PVC-CP

Other Finishes:

BB	Champagne Bronze	BZ	Oil-Rubbed Bronze	PB	Polished Brass
BN	Brushed Nickel	CB	Chrome Brushed	WH	White
BS	Biscuit	NP	Nickel Polished	WI	Matte Black

Example Product #:

981 — ***CA*** — ***PVC*** — ***AP*** — ***

Series #Tub Closure Material Finish Option

Order the ADA Handle separately



92874-CP

BB	Champagne Bronze	BZ	Oil-Rubbed Bronze	PB	Polished Brass
BN	Brushed Nickel	CB	Chrome Brushed	WH	White
BS	Biscuit	NP	Nickel Polished		



To Order with the Theft-Resistant Device

Add "-TR" to cable part number.
Example: 938-CA-PVC-BZ-TR

ROUGH IN

Most Tubs up to 16" Deep	Part Number
	971-CARI-PVC-CP

Most Tubs up to 24" Deep	Part Number
	981-CARI-PVC-CP

Most Tubs up to 36" Deep	Part Number
	991-CARI-PVC-CP

+PLUS+ Stopper/Face Plate

SF - Stopper/Faceplate For All Innovator Cable Models Not a Trim Kit - No Strainer Body	Part Number
	928-CASF-CP

Other Finishes:

BB	Champagne Bronze	BZ	Oil-Rubbed Bronze	PB	Polished Brass
BN	Brushed Nickel	CB	Chrome Brushed	WH	White
BS	Biscuit	NP	Nickel Polished	WI	Matte Black

To quickly change the finish of the roughed-in strainer body, order the 928-CASF (above) with the Watco QuickTrim® strainer body cover and o-ring. Simply snaps over the existing strainer body.
Order below.

QuickTrim® Strainer Body Cover and O-Ring	Part Number
	928-CASF-CPQ



Other Finishes:

BBQ	Champagne Bronze	BZQ	Oil-Rubbed Bronze	PBQ	Polished Brass
BNQ	Brushed Nickel	CBQ	Chrome Brushed	WHQ	White
BSQ	Biscuit	NPQ	Nickel Polished	WIQ	Matte Black

Pricing available on www.watcomfg.com

Innovator® and *Insta-Grip*™ Shower Drains



Schedule 40 Fittings

ABS Or PVC



Innovator Shower Drain

Fully-Testable

- Includes Watco Innovator® orange test membrane, testable to 22 P.S.I. or five floors. Simply punch out after testing.
- No test plug, caps or test ball required

SIMPLY PUNCH OUT AFTER TESTING.
NO MORE TEST BALLS, CAPS OR PLUGS



Universal Grid



Insta-Grip™ Shower Drain

- Integrated seal (no compression well seal).
- Easy, fast installtion; in less than one minute.
- Includes heavy-duty, snap-on grid—20% thicker than competitive grids.
- Drain is manufactured in dark grey PVC to reduce appearance of dirt and mildew.
- Easy to tighten bottom receptor with screwdriver slots for single person ease of installation
- Includes green polycarbonate cover to protect grid finish and prevent debris from entering drain during construction.



TEST CAP VERSION



HEAVY-DUTY GRID STRAINER



HEAVY-DUTY SNAP-ON PROTECTIVCOVER

Pricing available on www.watcomfg.com

Innovator® Shower Drain			Works With Either	Insta-Grip™ Shower Drain		
Finish	PVC	ABS	Grid Only	Complete Kit With Locking Ring Installed.	No Locking Ring. Bagged With Test Cap	No Test. No Locking Ring, No Test Cap.
Chrome Plated	9300G-PVC-CP	9300-ABS-CP	9300G-CP	9400-CP	9401-CP	9402-CP
Brushed Bronze	9300G-PVC-BB	9300-ABS-BB	9300G-BB	9400-BB	9401-BB	9402-BB
Brushed Nickel	9300G-PVC-BN	9300-ABS-BN	9300G-BN	9400-BN	9401-BN	9402-BN
Oil Rubbed Bronze	9300G-PVC-BZ	9300-ABS-BZ	9300G-BZ	9400-BZ	9401-BZ	9402-BZ
White	9300G-PVC-WH	9300-ABS-WH	9300G-WH	9400-WH	9401-WH	9402-WH
Wrought Iron	9300G-PVC-WI	9300-ABS-WI	9300G-WI	9400-WI	9401-WI	9402-WI
No Grid	930NG-PVC	930NG-ABS		9400NG	9401NG	9402NG



Chrome (CP)



Brushed Bronze (BB)



Brushed Nickel (BN)



Oil-Rubbed Bronze (BZ)



White (WH)



Matte Black (WI)

See Spec Sheet For Individual Parts

Innovator® 900 Series Complete

(Built-In Testing • Snap-On Overflow Plate • Solvent Weld Assembly • Coarse Thread: 11.5 tpi)

900 Innovator®

Complete Bath Wastes

Fits most tubs up to 16" deep

ABS and PVC

See Web XLXS for ABS Fittings

16 Per Carton

900-PP



LT LIFT AND TURN · PP PUSH PULL · PF PRESFLO® ADA · FA FOOT ACTUATED ADA

#11577 Test Plug Included with all 900/901 Bath Kits

WITH OPTIONAL OVERFLOW COVER

Fits Kohler's Tea-for-Two tub.



900-__-__-CP-T42 — Call

BN-BZ-CB-NP-PB — Call

COMPLETE BATH WASTE KIT

Most Tubs up to 16" Deep Part Number
900-LT-PVC-CP
900-PP-PVC-CP
900-PF-PVC-CP
PF: NOT in BO-BS-WH
900-FA-PVC-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI

ROUGH IN

900 RI (Rough-IN) Up to 16" Part Number
900-ZRI-PVC-CP - Chrome
900-BRI-PVC-CP - CP & Finishes
900-PFRI-PVC-CP
PF: NOT in BO-BS-WH
FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI

+PLUS+ **Stopper/Face Plate**

900- Series SF Part Number
900-LTSF-0-CP
900-PPSF-0-CP
900-PFSF-0-CP
PF: NOT in BO-BS-WH
900-FASF-0-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI

Other Finishes:

BB	Champagne Bronze	BZ	Oil-Rubbed Bronze	PB	Polished Brass
BN	Brushed Nickel	CB	Chrome Brushed	WH	White
BO	Bone	NP	Nickel Polished	WI	Matte Black
BS	Biscuit				

(Built-In Testing • Snap-On Overflow Plate • Solvent Weld Assembly • Coarse Thread: 11.5 tpi)

920 Innovator®

Chrome Only

ABS Stopper and Knob

Brass Strainer Body

ABS and PVC

See Web XLXS for ABS Fittings

920-PP



COMPLETE BATH WASTE KIT

920 PP Bath Wastes Part Number
920-PP-PVC-CP

ROUGH IN

920 RI (Rough-IN) Part Number
921-PPSF-0-CP

+PLUS+ **Stopper/Face Plate**

921 - Stopper/Faceplate Part Number
920-BRI-PVC-CP

(Snap-On Overflow Plate • Solvent Weld Assembly • Fine Thread: 16 tpi)

940 Innovator® Plus

Complete Bath Wastes

Fits most tubs up to 16" deep

ABS and PVC - FINE THREAD

See Web XLXS for ABS Fittings

12 Per Carton

940-PP



Innovator's...



Plus... Perfect Fit's...



Equals... the perfect combination

COMPLETE BATH WASTE KIT

Most Tubs up to 16" Deep Part Number
940-LT-PVC-CP
940-PP-PVC-CP
940-PF-PVC-CP
PF: NOT in BO-BS-WH
940-FA-PVC-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI

ROUGH IN

940 RI (Rough-IN) Up to 16" Part Number
940-ZRI-PVC-CP - Chrome*
940-BRI-PVC-CP - CP & Finishes
940-PFRI-PVC-CP
PF: NOT in BO-BS-WH
FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI
* Fine Thread Only BRI

+PLUS+ **Stopper/Face plate**

900- Series SF Part Number
900-LTSF-0-CP
900-PPSF-0-CP
900-PFSF-0-CP
PF: NOT in BO-BS-WH
900-FASF-0-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI

Other Finishes:

BB	Champagne Bronze	BZ	Oil-Rubbed Bronze	PB	Polished Brass
BN	Brushed Nickel	CB	Chrome Brushed	WH	White
BO	Bone	NP	Nickel Polished	WI	Matte Black
BS	Biscuit				

Pricing available on www.watcomfg.com

Innovator® 900 Series Half Kit

(Built-In Testing • Snap-On Overflow Plate • Solvent Weld Assembly • Coarse Threads: 11.5 tpi)

901 Innovator®

Bath Waste Half Kits

ABS and PVC

See Web XLXS for ABS Fittings

12 Per Carton



901-PP

LT LIFT AND TURN
PP PUSH PULL
PF PRESFLO® ADA
FA FOOT ACTUATED ADA

#11577 Test Plug Included with all 900/901 Bath Kits

WITH OPTIONAL OVERFLOW COVER

Fits Kohler's Tea-for-Two tub.



900-__-__-CP-T42 Call

BN-BZ-CB-NP-PB..... Call

COMPLETE BATH WASTE HALF KIT

Most Tubs up to 16" Deep Part Number
901-LT-PVC-CP
901-PP-PVC-CP
901-PF-PVC-CP
PF: NOT in BO-BS-WH
901-FA-PVC-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI

ROUGH IN

901 RI (Rough-IN) Part Number
901-ZRI-PVC-CP - Chrome
901-BRI-PVC-CP - CP & Finish
901-PFRI-PVC-CP
PF: NOT in BO-BS-WH
FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI

+PLUS+ **Stopper/Face plate**

900- Series SF Part Number
900-LTSF-0-CP
900-PPSF-0-CP
900-PFSF-0-CP
PF: NOT in BO-BS-WH
900-FASF-0-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI


Other Finishes:

BB	Champagne Bronze	BZ	Oil-Rubbed Bronze	PB	Polished Brass
BN	Brushed Nickel	CB	Chrome Brushed	WH	White
BO	Bone	NP	Nickel Polished	WI	Matte Black
BS	Biscuit				

Square Overflow Faceplate









Finish Add -SQ	
CP	Chrome Plated
BN	Brushed Nickel
BZ	Oil-Rubbed Bronze
WI	Matte Black

(Built-In Testing • Snap-On Overflow Plate • Solvent Weld Assembly • Coarse Threads: 11.5 tpi)

921 / 951 Innovator®

ABS Stopper and Knob

921 Chrome Only with Brass Strainer Body

951 Chrome Only with Zinc Strainer Body

ABS or PVC

COMPLETE BATH WASTE HALF KIT

921/951 PP Half Kits Part Number
921-PP-PVC-CP
951-PP-PVC-CP
951-PP1-PVC-CP

See Web XLXS for ABS Fittings

12 Per Carton

***PP1= Plastic Pin**

ROUGH IN

+PLUS+ **Stopper/Face plate**



RI: Rough-In Part Number
921-BRI-PVC-CP
901-ZRI-PVC-CP
901-ZRI-PVC-CP

921/951 Series Part Number
921-PPSF-0-CP
951-PPSF-0-CP
900SF-PP1-CP

Pricing available on www.watcomfg.com

Watco Basics:

Just four SKUs provide everything a plumber needs for bath waste during new construction.

ONE CHROME ROUGH-IN KIT



SKU 901-ZRI/BRI-PVC-CP
(Rough-in Half Kit)

or SKU 900-LTRI-PVC-CP
(Rough-in Full Kit, includes Half Kit plus pipe and tee)

TWO CHROME FINISH TRIM



SKU 900-LTSF-0-CP

THREE QUICKTRIM® FINISH UPGRADE



Chrome: SKU 959290-CP
Brushed Nickel: SKU 959290-BN
Oil-Rubbed Bronze: SKU 959290-BZ

FOUR UNIVERSAL NUFIT® FINISH UPGRADE



Chrome: SKU 948700-PP-CP-G-47-NS
Brushed Nickel: SKU 948700-PP-BN-G-47-NS
Oil Rubbed Bronze: SKU 948700-PP-BZ-G-47-NS
Matte Black: SKU 948700-PP-WI-G-47-NS

If you stock them, they will come.

Pricing available on www.watcomfg.com

Innovator® 900 Series Half Kits

(Built-In Testing • Snap-On Overflow Plate • Solvent Weld Assembly • Coarse Thread: 11.5 tpi)

902 Innovator®

Bath Wastes Half Kits


NO Testing

ABS and PVC

12 Per Carton



902-PP



Comes with overflow and drain elbows, overflow plate assembly, and tub closure; no pipe or tee

COMPLETE BATH WASTE HALF KIT | **ROUGH IN** | **+PLUS+ Stopper/Face plate**

Most Tubs up to 16" Deep Part Number	902 RI (Rough-IN) Up to 16" Part Number	900- Series SF Part Number
902-LT-PVC-CP	902-ZRI-PVC-CP	900-LTSF-0-CP
902-PP-PVC-CP	902-BRI-PVC-CP	900-PPSF-0-CP
902-PF-PVC-CP	902-PFRI-PVC-CP	900-PFSF-0-CP
PF: NOT in BO-BS-WH	PF: NOT in BO-BS-WH	PF: NOT in BO-BS-WH
902-FA-PVC-CP	902-ZRI-PVC-CP	900-FASF-0-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI	FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI	FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI

Other Finishes:

BB	Champagne Bronze	BZ	Oil-Rubbed Bronze	PB	Polished Brass
BN	Brushed Nickel	CB	Chrome Brushed	WH	White
BO	Bone	NP	Nickel Polished	WI	Matte Black
BS	Biscuit				

(Snap-On Overflow Plate • Solvent Weld Assembly • Fine Thread: 16 tpi)

941 Innovator® Plus

Half Kits / Fine Threads

ABS or PVC

12 Per Carton



COMPLETE BATH WASTE HALF KIT | **ROUGH IN** | **+PLUS+ Stopper/Face plate**

941: Bath Waste Half Kits Part Number	941: RI (Rough-IN) Part Number	900- Series SF Part Number
941-LT-PVC-CP	941-BRI-PVC-CP	900-LTSF-0-CP
941-PP-PVC-CP	941-BRI-PVC-CP	900-PPSF-0-CP
941-PF-PVC-CP	941-PFRI-PVC-CP	900-PFSF-0-CP
PF: NOT in BO-BS-WH	PF: NOT in BO-BS-WH	PF: NOT in BO-BS-WH
941-FA-PVC-CP	941-BRI-PVC-CP	900-FASF-0-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI	FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI	FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI

Other Finishes:

BB	Champagne Bronze	BZ	Oil-Rubbed Bronze	PB	Polished Brass
BN	Brushed Nickel	CB	Chrome Brushed	WH	White
BO	Bone	NP	Nickel Polished	WI	Matte Black
BS	Biscuit				

LT —  LIFT AND TURN

PP —  PUSH PULL®

PF —  PRESFLO® ADA

FA —  FOOT ACTUATED ADA

Pricing available on www.watcomfg.com

Innovator® 900 Series Half Kits


(Built-In Testing • Snap-On Overflow Plate • Solvent Weld Assembly • Coarse Thread: 11.5 tpi)

Innovator®

Half Kits with Adapters


See Web XLXS for ABS Fittings

915 HUB ADAPTER



915 Half Kits with Hub Adapter ABS & PVC Part Number
915-LT-PVC-CP
915-PP-PVC-CP
915-PF-PVC-CP
PF: NOT in BO-BS-WH
915-FA-PVC-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI

918 SPIGOT - PVC ONLY



918 Half Kits with Spigot Adapter - PVC Only Part Number
918-LT-PVC-CP
918-PP-PVC-CP
918-PF-PVC-CP
PF: NOT in BO-BS-WH
918-FA-PVC-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI

917 DRAIN TEE



917 Half Kits with Direct Drain Tee - ABS & PVC Part Number
917-LT-PVC-CP
917-PP-PVC-CP
917-PF-PVC-CP
PF: NOT in BO-BS-WH
917-FA-PVC-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI

BB	Champagne Bronze	BZ	Oil-Rubbed Bronze	PB	Polished Brass
BN	Brushed Nickel	CB	Chrome Brushed	WH	White
BO	Bone	NP	Nickel Polished	WI	Matte Black
BS	Biscuit				

QuickTrim® Kits

Install chrome on the rough-in and easily upgrade to a special finish without removing the strainer body See pages 48-49.

- No reduction in flow rate.
- Produces very little additional height or inside-diameter reduction.
- Uses an o-ring for a tight, snug fit (one for brass strainer bodies and one for zinc strainer bodies).
- Eliminates destroying the integrity of your test and the possibility of cross-threading or damaging the tub when replacing the strainer body.





Innovator® QuickTrim® Kits
Page 47



Innovator® Trim Kits
Page 48



Coarse-Thread Tub Closures
Page 53



Replacement Stoppers
Pages 54

Pricing available on www.watcomfg.com


900N Innovator® Drain

Complete Bath Wastes


Fits most tubs up to 16" deep

See Web XLXS for ABS Fittings

PP1 = Plastic Pin
PP2 = Brass Pin



White ABS Drain Elbow



Overflow Elbow Test Membrane
REMOVE AFTER TESTING



Drain Elbow Test Membrane
REMOVE AFTER TESTING

12 Per Carton

Complete Bath Wastes Plastic PIN Part Number
900N-PP1-PVC-WH
White knob, stopper, and overflow
900N-PP1-PVC-BS
Biscuit knob, stopper, and overflow
900N-PP1-PVC-CP-QTP
With Plastic QuickTrim® body, thick o-ring

=

900NRI (Rough-IN) Up to 16" Fittings - BuiLT -In Body Part Number
900NRI-PVC
900NRI-PVC-BS
900NRI-ABS

+

900NSF-SERIES STOPPER/FACE-PLATE PLASTIC PIN Part Number	
900NSF-PP1-WH	
White knob, stopper, and overflow	
900NSF-PP1-BS	
Biscuit knob, stopper, and overflow	
900NSF-PP1-CP-QTP	
With Plastic QuickTrim® body, thick o-ring	

Complete Bath Wastes Brass PIN Part Number
900N-PP2-PVC-WH
White knob, stopper, and overflow
900N-PP2-PVC-BS
Biscuit knob, stopper, and overflow
900N-PP2-PVC-CP-QTP
With Plastic QuickTrim® body, thick o-ring

=


900NRI (Rough-IN) Up to 16" Fittings - BuiLT -In Body Part Number
900NRI-PVC
900NRI-PVC-BS
900NRI-ABS

+

900NSF-SERIES STOPPER/FACE-PLATE BRASS PIN Part Number
900NSF-PP2-WH
White knob, stopper, and overflow
900NSF-PP2-BS
Biscuit knob, stopper, and overflow
900NSF-PP2-CP-QTP
With Plastic QuickTrim® body, thick o-ring

Pricing available on www.watcomfg.com

900N Series - Full Kit



ITEM	PART#	DESCRIPTION
1	11307WH	Plastic PP Knob - White
2	11515	Plastic Pin (11512) & Friction Ring (11504)
3	11290WH	Plastic Stopper - White
4	11507	Stopper Seal 1-1/16 Dia.
5	14013	Innovator® Drain Crossbar, removable
6	14007	Innovator® Drain Elbow-Long (PVC)
	11007	Innovator® Drain Elbow-Long (White ABS)
7	10691	Innovator® Drain Elbow Rubber Seal
8	10671	Innovator® Drain Elbow Slip Washer
9	11480	Innovator® Drain Elbow Retainer Nut
10	14020	Innovator® Overflow Elbow - Sch 40 PVC
	11020	Innovator® Overflow Elbow - Sch 40 ABS
11	10675	Overflow Elbow Gasket - Foam
12	11121	Retainer Star Nut for Innovator®
13	01005WH	Innovator® Faceplate - plastic - White
14	14010	Sanitary Tee - Sch 40 PVC
	14011	Sanitary Tee - Sch 40 ABS
15	SCHPVC-11.75	Schedule 40 PVC Pipe - 1.5" X 11.75"
	SCHABS-11.75	Schedule 40 ABS Pipe - 1.5" X 11.75"
16	01005CP	Innovator® Faceplate - plastic - Chrome Pl.
17	11307CP	UnNuFit Plastic Knob - Chrome Plated
18	11290CP	PP Stopper Plastic Chrome Plated
19	01053CP	QuickTrim® Plastic Strainer Body Cover
20	11138	QuickTrim® O-Ring - thick

Schedule 40

Patented and Patents Pending
See watcomfg.com for details.

Innovator® Drain Series

Built-In Testing • Snap-On Overflow Plate • Solvent Weld Assembly • Coarse Threads: 11.5 tpi

901N Innovator® Drain

Bath Waste Half Kits


See Web XLXS for ABS Fittings

PP1 = Plastic Pin
PP2 = Brass Pin




White ABS Drain Elbow





Overflow Elbow Test Membrane
REMOVE AFTER TESTING



Drain Elbow Test Membrane
REMOVE AFTER TESTING

12 Per Carton

HALF KITS PLASTIC PIN Part Number
901N-PP1-PVC-WH
White knob, stopper, and overflow
901N-PP1-PVC-BS
Biscuit knob, stopper, and overflow
901N-PP1-PVC-CP-QTP
With Plastic QuickTrim® body, thick o-ring

=

901NRI (Rough-IN) Fittings - Built -In Body Part Number
901NRI-PVC
901NRI-PVC-BS
901NRI-ABS

+

900NSF-SERIES STOPPER/FACEPLATE PLASTIC PIN Part Number
900NSF-PP1-WH
White knob, stopper, and overflow
900NSF-PP1-BS
Biscuit knob, stopper, and overflow
900NSF-PP1-CP-QTP
With Plastic QuickTrim® body, thick o-ring

HALF KITS BRASS PIN Part Number
901N-PP2-PVC-WH
White knob, stopper, and overflow
901N-PP2-PVC-BS
Biscuit knob, stopper, and overflow
901N-PP2-PVC-CP-QTP
With Plastic QuickTrim® body, thick o-ring

=


901NRI (Rough-IN) Fittings - Built -In Body Part Number
901NRI-PVC
901NRI-PVC-BS
901NRI-ABS

+

900NSF-SERIES STOPPER/FACEPLATE BRASS PIN Part Number
900NSF-PP2-WH
White knob, stopper, and overflow
900NSF-PP2-BS
Biscuit knob, stopper, and overflow
900NSF-PP2-CP-QTP
With Plastic QuickTrim® body, thick o-ring

Pricing available on www.watcomfg.com

901N Series-Half Kit



ITEM	PART#	DESCRIPTION
1	11307WH	**Plastic PP Knob - White**
2	11515	**Plastic Pin (11512) & Friction Ring (11504)**
3	11290WH	**Plastic Stopper - White**
4	11507	**Stopper Seal 1-1/16 Dia.**
5	14013	**Innovator® Drain Crossbar, removable**
6	14007	**Innovator® Drain Elbow-Long (PVC)**
6	11007	**Innovator® Drain Elbow-Long (White ABS)**
7	10691	**Innovator® Drain Elbow Rubber Seal**
8	10671	**Innovator® Drain Elbow Slip Washer**
9	11480	**Innovator® Drain Elbow Retainer Nut**
10	14020	**Innovator® Overflow Elbow - Sch 40 PVC**
10	11020	**Innovator® Overflow Elbow - Sch 40 ABS**
11	10675	**Overflow Elbow Gasket - Foam**
12	11121	**Retainer Star Nut for Innovator®**
13	01005WH	**Innovator® Faceplate - plastic - White**
16	01005CP	**Innovator® Faceplate - plastic - Chrome Pl.**
17	11307CP	**UnNuFit Plastic Knob - Chrome Plated**
18	11290CP	**PP Stopper - Plastic - Chrome Plated**
19	01050HP	**QuickTrim® Plastic Strainer Body Cover**
20	11138	**QuickTrim® O-Ring - thick**

Flex916N Innovator® Drain

Complete Bath Wastes

PVC only

PP1 = Plastic Pin
PP2 = Brass Pin




Overflow Elbow Test Membrane
REMOVE AFTER TESTING


Drain Elbow Test Membrane
REMOVE AFTER TESTING

To order the Flex916N or Flex924N without a Sanitary Tee, add "-NTEE" to part number.

Example:
FLEX916N-PP-PVC-WH-NTEE

Fits most tubs up to 16" deep

12 Per Carton

FLEX916N BATH WASTES - TUBS TO 16" PLASTIC PIN Part Number		FLEX916NRI ROUGH-IN FITTINGS - TUBING - BUILT-IN BODY Part Number		900NSF-SERIES STOPPER/FACEPLATE PLASTIC PIN Part Number
FLEX916N-PP1-PVC-WH White knob, stopper, and overflow	=	FLEX916NRI-PVC FLEX916NRI-PVC-BS	+	900NSF-PP1-WH White knob, stopper, and overflow
FLEX916N-PP1-PVC-BS Biscuit knob, stopper, and overflow				900NSF-PP1-BS Biscuit knob, stopper, and overflow
FLEX916N-PP1-PVC-CP-QTP With Plastic QuickTrim® body, thick o-ring				900NSF-PP1-CP-QTP With Plastic QuickTrim® body, thick o-ring

FLEX916N BATH WASTES - TUBS TO 16" BRASS PIN Part Number		FLEX916NRI ROUGH-IN FITTINGS - TUBING - BUILT-IN BODY Part Number		900NSF-SERIES STOPPER/FACEPLATE BRASS PIN Part Number
FLEX916N-PP2-PVC-WH White knob, stopper, and overflow	=	FLEX916NRI-PVC FLEX916NRI-PVC-BS	+	900NSF-PP2-WH White knob, stopper, and overflow
FLEX916N-PP2-PVC-BS Biscuit knob, stopper, and overflow				900NSF-PP2-BS Biscuit knob, stopper, and overflow
FLEX916N-PP2-PVC-CP-QTP With Plastic QuickTrim® body, thick o-ring				900NSF-PP2-CP-QTP With Plastic QuickTrim® body, thick o-ring

Flex924N Innovator® Drain

Complete Bath Wastes – PVC only

Fits most tubs up to 24" deep

12 PER CARTON

FLEX924N BATH WASTES - TUBS TO 24" PLASTIC PIN Part Number		FLEX924NRI ROUGH-IN FITTINGS - TUBING - BUILT-IN BODY Part Number		900NSF-SERIES STOPPER/FACEPLATE PLASTIC PIN Part Number
FLEX924N-PP1-PVC-WH White knob, stopper, and overflow	=	FLEX924NRI-PVC FLEX924NRI-PVC-BS	+	900NSF-PP1-WH White knob, stopper, and overflow
FLEX924N-PP1-PVC-BS Biscuit knob, stopper, and overflow				900NSF-PP1-BS Biscuit knob, stopper, and overflow
FLEX924N-PP1-PVC-CP-QTP With Plastic QuickTrim® body, thick o-ring				900NSF-PP1-CP-QTP With Plastic QuickTrim® body, thick o-ring

FLEX924N BATH WASTES - TUBS TO 24" BRASS PIN Part Number		FLEX924NRI ROUGH-IN FITTINGS - TUBING - BUILT-IN BODY Part Number		900NSF-SERIES STOPPER/FACEPLATE BRASS PIN Part Number
FLEX924N-PP2-PVC-WH White knob, stopper, and overflow	=	FLEX924NRI-PVC FLEX924NRI-PVC-BS	+	900NSF-PP2-WH White knob, stopper, and overflow
FLEX924N-PP2-PVC-BS Biscuit knob, stopper, and overflow				900NSF-PP2-BS Biscuit knob, stopper, and overflow
FLEX924N-PP2-PVC-CP-QTP With Plastic QuickTrim® body, thick o-ring				900NSF-PP2-CP-QTP With Plastic QuickTrim® body, thick o-ring

Pricing available on www.watcomfg.com

Schedule 40


Patented and Patents Pending
See watcomfg.com for details.

Innovator® Drain Series

Built-In Testing • Snap-On Overflow Plate • Solvent Weld Assembly • Coarse Thread: 11.5 tpi


FLEX916N Series-Full Kit
FLEX924N Series-Full Kit

Includes Flexible Pipe



Finish Trim

900NSF-PP1-WH 900NSF-PP1-CP-QT




ITEM	PART#	DESCRIPTION
1	11307WH	Plastic PP Knob - White
2	11515	Plastic Pin (11512) & Friction Ring (11504)
3	11290WH	Plastic Stopper - White
4	11507	Stopper Seal 1-1/16 Dia.
5	14013	Innovator® Drain Crossbar, removable
6	14007	Innovator® Drain Elbow-Long (PVC)
	11007	Innovator® Drain Elbow-Long (White ABS)
7	10691	Innovator® Drain Elbow Rubber Seal
8	10671	Innovator® Drain Elbow Slip Washer
9	11480	Innovator® Drain Elbow Retainer Nut
10	14020	Innovator® Overflow Elbow - Sch 40 PVC
	11020	Innovator® Overflow Elbow - Sch 40 ABS
11	10675	Overflow Elbow Gasket - Foam
12	11121	Retainer Star Nut for Innovator®
13	01005WH	Innovator® Faceplate - plastic - White
14	14010	Sanitary Tee - Sch 40 PVC
	14011	Sanitary Tee - Sch 40 ABS
15	Not Sold Separately	Flex916 Flexible Tubing 1.5” x 16”
		Flex924 Flexible Tubing 1.5” x 24”
	SCHPVC-11.75	Schedule 40 PVC Pipe - 1.5” X 11.75”
	SCHABS-11.75	Schedule 40 ABS Pipe - 1.5” X 11.75”
16	01005CP	Innovator® Faceplate - plastic - Chrome Pl.
17	11307CP	UnNuFit Plastic Knob - Chrome Plated
18	11290CP	PP Stopper - Chrome Plated
19	01050HP	QuickTrim® Plastic Strainer Body Cover
20	11138	QuickTrim® O-Ring - thick

Innovator® Drain

Rough-In Kits


Rough-In-Full Kit

(Does Not Include Finish Trim)
FLEX916NRI-PVC ● FLEX924NRI-PVC
900NRI-PVC ● 900NRI-ABS



Rough-In-Half Kit

(Does Not Include Finish Trim)
901NRI-PVC ● 901NRI-ABS



Innovator® Drain Replacement Stoppers on next page.

Pricing available on www.watcomfg.com

WATCO... Always a Step Ahead.™

Innovator® Drain

Replacement Stopper Assemblies

Plastic Knob and Stopper
Plastic or Brass Pins



20 Per Carton


REPLACEMENT STOPPERS PLASTIC PIN
Part Number
900NSA-PP1-WH
900NSA-PP1-BS
900NSA-PP1-CP



REPLACEMENT STOPPERS BRASS PIN
Part Number
900NSA-PP2-WH
900NSA-PP2-BS
900NSA-PP2-CP

Stopper Assembly
w/plastic pin


900NSA-PP1-WH 900NSA-PP1-CP



ITEM	PART#	DESCRIPTION
1	11307WH	Plastic PP Knob - White
2	11515	Plastic Pin (11512) & Friction Ring (11504)
3	11290WH	Plastic Stopper - White
4	11507	Stopper Seal 1-1/16 Dia.
5	11307CP	UnNuFit Plastic Knob - Chrome Plated
6	11290CP	PP Stopper - Plastic - Chrome Plated

Plastic QuickTrim® Kits in Chrome-CP, White-WH or Biscuit-BS. For all Watco® Strainers and Innovator® Drains.

QuickTrim® Kits



All Plastic Components

PLASTIC QUICKTRIM® KITS
Part Number
900TK-PP1-QTP-CP
900TK-PP1-QTP-WH
900TK-PP1-QTP-BS

Comes With Plastic Strainer Body Cover

Pricing available on www.watcomfg.com

Schedule 40

Patented and Patents Pending
See watcomfg.com for details.

Perfect Fit 400 Series

Adjustable Flange • Solvent Weld Assembly • Fine Thread 16 tpi • Schedule 40 TechNotes: page 74

400 Perfect Fit

Complete Bath Wastes

Fits most tubs up to 16” deep

ABS or PVC

FINE THREAD - 16 tpi

400-LT



See Web XLXS for ABS Fittings

12 Per Carton

401 Perfect Fit

Bath Waste Half Kits

ABS or PVC

FINE THREAD - 16 tpi



401-PP

Example Product #: u 400 — v FA — w PVC — x CP — y ***


Series Number — Stopper — Material — Finish — Option

Patented Adjustable Flange

This patented, adjustable feature allows a tight-fitting overflow flange on a wide range of tub angles.

The only tool needed is a HAND It TURNS, not pivots.






12 PER CARTON

400: COMPLETE bath wastes
Fits most tubs up to 16” deep:
Part Number
400-LT-PVC-CP
400-PP-PVC-CP
400-PF-PVC-CP
PF: NOT in BO-BS-WH
400-FA-PVC-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI

401: COMPLETE bath wastes
Part Number
401-LT-PVC-CP
401-PP-PVC-CP
401-PF-PVC-CP
PF: NOT in BO-BS-WH
401-FA-PVC-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI

BB	Champagne Bronze	BZ	Oil-Rubbed Bronze	PB	Polished Brass
BN	Brushed Nickel	CB	Chrome Brushed	WH	White
BO	Bone	NP	Nickel Polished	WI	Matte Black
BS	Biscuit				



400 Rough-In Measurements

LT



LIFT AND TURN

PP



PUSH PULL®

PF



PRESFLO® ADA

FA




FOOT ACTUATED ADA

400-401	
Trim Kits	**Tub Closures**
LT Trim Kit ..... 58080-___	LT Tub Closure ..... 58301-___
PP Trim Kit: ... 38080-___	PP Tub Closure .... 38301-___
PF Trim Kit:.... 38260-___	PF Tub Closure .... 38380-___
FA Trim Kit: .... 68080-___	FA Tub Closure..... 68301-___


940-941	
Trim Kits	**Tub Closures**
LT Trim Kit ..... 958080-___	LT Tub Closure ..... 58301-___
PP Trim Kit: ... 938080-___	PP Tub Closure .... 38301-___
PF Trim Kit:.... 938260-___	PF Tub Closure .... 38380-___
FA Trim Kit: .... 968080-___	FA Tub Closure..... 68301-___


FINE-THREAD TRIM KITS: PG 50; TUB CLOSURES: 54


THE SECRET TO PERFECT FIT’S PERFECT FIT...



GASKETS | 1.5” PANCAKE 90° ELBOWS | 1.5” OVERFLOW FLANGE | 1.5” DRAIN FLANGE







Pricing available on www.watcomfg.com

WATCO... Always a Step Ahead.™

Schedule 40

Patented and Patents Pending
See watcomfg.com for details.

600 Series

Solvent Weld Assembly • PVC or ABS • Coarse Thread 11.5 tpi • 1-Hole Faceplate (2-Hole available)

600

Complete Bath Wastes

Fits most tubs up to 16” deep

ABS or PVC

See Web XLXS for ABS Fittings

12 Per Carton

600-PP



601

Bath Waste Half Kits



600-SF

SF Kits have *No* strainer body.



601-LT

Add -2H for 2 hole OF

Example Product #: u 600 — v PF — w PVC — x BN — y ***

Series Number / Stopper / Material / Finish / Option

600: COMPLETE BATH WASTES
Fits most tubs up to 16” deep:
Part Number
600-LT-PVC-CP
600-PP-PVC-CP
600-PF-PVC-CP
PF: NOT IN BO-BS-WH
600-FA-PVC-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI

601: BATH WASTE HALF KITS
Part Number
601-LT-PVC-CP
601-PP-PVC-CP
601-PF-PVC-CP
PF: NOT IN BO-BS-WH
601-FA-PVC-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI

BB	Champagne Bronze	BZ	Oil-Rubbed Bronze	PB	Polished Brass
BN	Brushed Nickel	CB	Chrome Brushed	WH	White
BO	Bone	NP	Nickel Polished	WI	Matte Black
BS	Biscuit				

LT



LIFT AND TURN

PP



PUSH PULL®

PF



PRESFLO® ADA

FA



FOOT ACTUATED ADA

600-601 Trim Kits

LT Trim Kit ..... 58290-___
PP Trim Kit: ... 38290-___
PF Trim Kit: ... 38250-___
FA Trim Kit:.... 68290-___

CT TRIM KITS: pg 50


Tub Closures

LT Tub Closure .... 58305-___
PP Tub Closure ... 38305-___
PF Tub Closure ... 38360-___
FA Tub Closure.... 68305-___


TC KITS: pg 54

600-601 TEST KITS

See page 57



900-940-600 Rough-In Measurements



Pricing available on www.watcomfg.com

Schedule 40

Patented and Patents Pending
See watcomfg.com for details.

600 Series

Solvent Weld Assembly • PVC or ABS • Coarse Thread: 11.5 tpi • Schedule 40 TechNotes: page 78

SLIP LOCK® Trip Lever

600-SL

ABS or PVC

ADA

See Web XLXS for ABS Fittings

12 Per Carton

Fits most tubs 16" deep:


600-SL-PVC-CP



Patented

Notice:
All Trip-Lever-Type Drains

Make sure brass linkage is not kinked.



For trip-lever type trim and linkage kits, & faceplate kits, see pages 52-53 and 56.

TRIP LEVER

600-TL / 650-TL

ABS or PVC

Fits most tubs 16" deep: 12 Per Carton

600-TL-PVC-CP

Fits most tubs 24" deep: 10 Per Carton

650-TL-PVC-CP



Patented ADA

TURNSTYLE®

600-TS / 650-TS

ABS or PVC

Fits most tubs 16" deep: 12 Per Carton

600-TS-PVC-CP

Fits most tubs 24" deep: 10 Per Carton

650-TS-PVC-CP



Patented NOT ADA

BN Brushed Nickel
BO Bone
BS Biscuit
BZ Oil-Rubbed Bronze
CB Chrome Brushed
NP Nickel Polished
PB Polished Brass
WH White
WI Matte Black

Add -2H for 2 hole OF

620 Bath Wastes *Fits most tubs up to 16" deep*
621 Half Kits

ABS Stopper and Knob; *Brass* Strainer Body

620 / 661 BRASS BODY COMPLETE BATH WASTES

Bath Wastes	620-PP-PVC-CP
Half Kits	621-PP-PVC-CP

See Web XLXS for ABS Fittings

12 Per Carton





661 Bath Wastes *Fits most tubs up to 16" deep*
651 Half Kits

Add -2H for 2 hole OF

ABS Stopper and Knob; *Zinc* Strainer Body

661 / 651 ZINC BODY BATH WASTE & HALF KIT

Bath Wastes	661-PP-PVC-CP
Half Kits	651-PP-PVC-CP

See Web XLXS for ABS Fittings

12 Per Carton

Pricing available on www.watcomfg.com

WATCO... Always a Step Ahead.™

Example Product #: u 610 Series Number — v LT Stopper — w PVC Material — x AB Finish — y *** Option

See Web XLXS for ABS Fittings

12 Per Carton

600-Series Quarter Kits with Adapters

610 HUB ADAPTER

Hub Adapters fit outside 1-1/2" Schedule 40 ABS or PVC piping.



610 QUARTER KITS WITH HUB ADAPTER - ABS & PVC
Part Number
610-LT-PVC-CP
610-PP-PVC-CP
610-PF-PVC-CP
PF: NOT in BO-BS-WH
610-FA-PVC-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI

612 SPIGOT - PVC

Spigot Adapters fit inside 1-1/2" Schedule 40 PVC piping.



612 QUARTER KITS WITH SPIGOT ADAPTOR - PVC ONLY
Part Number
612-LT-PVC-CP
612-PP-PVC-CP
612-PF-PVC-CP
PF: NOT in BO-BS-WH
612-FA-PVC-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI

614 DRAIN ELBOW



For Drain Elbow Half Kit, see Model 601 on page 25.

614 QUARTER KITS WITH DRAIN ELBOW - ABS & PVC
Part Number
614-LT-PVC-CP
614-PP-PVC-CP
614-PF-PVC-CP
PF: NOT in BO-BS-WH
614-FA-PVC-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI

BB	Champagne Bronze	BZ	Oil-Rubbed Bronze	PB	Polished Brass
BN	Brushed Nickel	CB	Chrome Brushed	WH	White
BO	Bone	NP	Nickel Polished	WI	Matte Black
BS	Biscuit				

600-Series Half Kits with Adapters

Add -2H for 2 hole OF

See Web XLXS for ABS Fittings

12 Per Carton

615 HUB ADAPTER



615 HALF KITS WITH HUB ADAPTER - ABS & PVC
Part Number
615-LT-PVC-CP
615-PP-PVC-CP
615-PF-PVC-CP
PF: NOT in BO-BS-WH
615-FA-PVC-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI

616 SPIGOT - PVC ONLY



616 HALF KITS WITH SPIGOT ADAPTOR - PVC ONLY
Part Number
616-LT-PVC-CP
616-PP-PVC-CP
616-PF-PVC-CP
PF: NOT in BO-BS-WH
616-FA-PVC-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI

617 DIRECT DRAIN TEE



617 HALF KITS WITH DIRECT DRAIN TEE - ABS & PVC
Part Number
617-LT-PVC-CP
617-PP-PVC-CP
617-PF-PVC-CP
PF: NOT in BO-BS-WH
617-FA-PVC-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI

BB	Champagne Bronze	BZ	Oil-Rubbed Bronze	PB	Polished Brass
BN	Brushed Nickel	CB	Chrome Brushed	WH	White
BO	Bone	NP	Nickel Polished	WI	Matte Black
BS	Biscuit				

Pricing available on www.watcomfg.com

600 Series: Adapters - Spigots - Direct Drain Tees - Quarter & Half Kits

Tubular Plastic

Patented and Patents Pending
See watcomfg.com for details.

500 Series


Slip-Joint Assembly • 11.5 tpi • Tubular Plastic TechNotes: page 66

LT

LIFT AND TURN

PP

PUSH PULL®

PF

PRESFLO®

FA

FOOT ACTUATED
ADA

500

See Web XLXS for ABS Fittings

12 Per Carton

Complete Bath Wastes

ABS or PVC

Fits most tubs up to 16" deep:

500-LT-PVC-CP
500-PP-PVC-CP
500-PF-PVC-CP
PF: NOT IN AB-BO-BS-WH
500-FA-PVC-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI

500-PP



550

See Web XLXS for ABS Fittings

10 Per Carton

Complete Bath Wastes

ABS or PVC

Fits most tubs up to 24" deep:

550-LT-PVC-CP
550-PP-PVC-CP
550-PF-PVC-CP
PF: NOT IN AB-BO-BS-WH
550-FA-PVC-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI


BB	Champagne Bronze	BZ	Oil-Rubbed Bronze	PB	Polished Brass
BN	Brushed Nickel	CB	Chrome Brushed	WH	White
BO	Bone	NP	Nickel Polished	WI	Matte Black
BS	Biscuit				

500-550

Trim Kits	Tub Closures
LT Trim Kit .....58290-___-2H	LT Tub Closure .....58305-___
PP Trim Kit: .....38290-___-2H	PP Tub Closure .....38305-___
PF Trim Kit: .....38250-___-2H	PF Tub Closure .....38360-___
FA Trim Kit: .....68290-___-2H	FA Tub Closure.....68305-___

TRIM KITS: Pgs. 49 – TUB CLOSURES: Pgs. 53

ROUGHING-IN DIMENSIONS



SLIP LOCK® Trip Lever

500-SL

See Web XLXS for ABS Fittings

12 Per Carton

Complete Bath Wastes

ABS or PVC

Fits most tubs up to 16" deep:


500-SL-PVC-CP



BN	Brushed Nickel	BZ	Oil-Rubbed Bronze	PB	Polished Brass
BO	Bone	CB	Chrome Brushed	WH	White
BS	Biscuit	NP	Nickel Polished	WI	Matte Black

Notice:
All Trip-Lever-Type Drains


Make sure brass linkage is not kinked.



Trim Kits for SLIP LOCK® on pages 52

Faceplate Kits: See page 55

ROUGHING-IN DIMENSIONS



Pricing available on www.watcomfg.com

WATCO... Always a Step Ahead.™

Complete Bath Wastes
QUICK ADJUST® Trip Lever
ABS or PVC





ADA

500-TQ

See Web XLXS for ABS Fittings

12 Per Carton

Fits most tubs up to 16" deep:

500-TQ-PVC-CP

BN Brushed Nickel	BZ Oil-Rubbed Bronze	PB Polished Brass
BO Bone	CB Chrome Brushed	WH White
BS Biscuit	NP Nickel Polished	WI Matte Black

550-TQ


See Web XLXS for ABS Fittings

10 Per Carton

Fits most tubs up to 24" deep:

550-TQ-PVC-CP


BN Brushed Nickel	BZ Oil-Rubbed Bronze	PB Polished Brass
BO Bone	CB Chrome Brushed	WH White
BS Biscuit	NP Nickel Polished	WI Matte Black



Installation:

A Establish rough-in length at overflow elbow scale.

B Adjust threaded-rod end on the linkage clevis until the number matches the number on the overflow elbow scale.



NOTE:
Typical installation for:
Model 500-TQ (ABS or PVC)

Trim Kits for SLIP LOCK®, Trip Lever, and TURNSTYLE® : See pages 51-52 – Faceplate Kits: See page 55.

Complete Bath Wastes
TURNSTYLE®
ABS or PVC


500-TS

See Web XLXS for ABS Fittings

12 Per Carton

Fits most tubs up to 16" deep:

500-TS-PVC-CP



NOT ADA

550-TS

See Web XLXS for ABS Fittings

10 Per Carton

Fits most tubs up to 24" deep:

550-TS-PVC-CP

BN Brushed Nickel	BZ Oil-Rubbed Bronze	PB Polished Brass
BO Bone	CB Chrome Brushed	WH White
BS Biscuit	NP Nickel Polished	WI Matte Black

*

Pricing available on www.watcomfg.com

Tubular Plastic

Patented and Patents Pending
See watcomfg.com for details.

500 Series

Slip-Joint Assembly • PVC or ABS • Coarse Thread: 11.5 tpi • Tubular Plastic TechNotes: page 66

510

Quarter Kit with Coarse-Thread Drain Elbow



510-LT

ADA
PRESFLO®
FOOT ACTUATED

See Web XLXS for ABS

12 Per Carton

510-LT-PVC-CP
510-PP-PVC-CP
510-PF-PVC-CP
PF: NOT IN AB-BO-BS-WH
510-FA-PVC-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI

515

Polypropylene 2-Hole Direct Drain

Fits most tubs up to 16" deep



515-LT

See Web XLXS for ABS

12 Per Carton

515-LT-CP
515-PP-CP
515-PF-CP
PF NOT IN AB-BO-BS-WH
515-FA-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI

595

Innovator® Tubular PVC & Polypropylene Direct Drain

595-PP



Overflow Elbow: Tubular Plastic PVC
Elbow & Drain Tee: Polypropylene

12 Per Carton

595-LT-PVC-CP
595-PP-PVC-CP
595-PF-PVC-CP
PF: NOT IN BO-BS-WH
595-FA-PVC-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI

BB	Champagne Bronze	BZ	Oil-Rubbed Bronze	PB	Polished Brass
BN	Brushed Nickel	CB	Chrome Brushed	WH	White
BO	Bone	NP	Nickel Polished	WI	Matte Black
BS	Biscuit				

590

Innovator® Complete Bath Wastes

See Web XLXS for ABS Fittings

12 Per Carton

ABS or PVC

***PP1 = Plastic Pin**





#11114 TEST CAP & #11577 TEST PLUG
included with all 590 & 594 Bath Wastes.

590-594

Trim Kits	Tub Closures
LT Trim Kit ..... 958290-___	LT Tub Closure .... 58305-___
PP Trim Kit: ... 938290-___	PP Tub Closure ... 38305-___
PF Trim Kit: ... 938250-___	PF Tub Closure ... 38360-___
FA Trim Kit: .... 968290-___	FA Tub Closure .... 68305-___

TRIM KITS: Pgs. 50 – TUB CLOSURES: Pgs. 54

To order the 590-594 without the Test Cap and Plug, add "-LTK" to end of part number..

590-PP1-PVC-CP		590-ZRI-PVC-CP		900SF-PP1-CP
590-LT-PVC-CP		590-ZRI-PVC-CP		900-LTSF-0-CP
590-PP-PVC-CP		590-BRI-PVC-CP		900-PPSF-0-CP
590-PF-PVC-CP	=	590-PFRI-PVC-CP	+	900-PFSF-0-CP
PF: NOT IN BO-BS-WH		PF: NOT IN BO-BS-WH		PF: NOT IN BO-BS-WH
590-FA-PVC-CP		590-ZRI-PVC-CP		900-FASF-0-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI		FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI		FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI

BB	Champagne Bronze	BZ	Oil-Rubbed Bronze	PB	Polished Brass
BN	Brushed Nickel	CB	Chrome Brushed	WH	White
BO	Bone	NP	Nickel Polished	WI	Matte Black
BS	Biscuit				

594

Same as the 590 but for most tubs up to 24" deep.

ABS or PVC

594-LT-PVC-CP
594-PP-PVC-CP
594-PF-PVC-CP
PF: NOT in BO-BS-WH
594-FA-PVC-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI

OTHER FINISHES AVAILABLE:

10 Per Carton

BB	Champagne Bronze	CB	Chrome Brushed
BN	Brushed Nickel	NP	Nickel Polished
BO	Bone	PB	Polished Brass
BS	Biscuit	WH	White
BZ	Oil-Rubbed Bronze	WI	Matte Black


Pricing available on www.watcomfg.com

WATCO... Always a Step Ahead.™

Options for Tubular Brass

1.5” Pipe • Coarse Thread: 11.5 tpi • 17-Gauge Pipe and 20-Gauge Pipe available


Patented and Patents Pending
See watcomfg.com for details.



New York Tee (-NY)

Use Watco’s New York Tee as a through-the-floor installation without sacrificing adjustability.

For New York Tee, add “-NY” to product number.





NOTE: These two options cannot be used together on the same bath waste.

Slip ’N Solder® (-U)

- solder two tubes (like copper fittings).
- eliminate an access panel.
- eliminate need for exact lengths.

For Slip “N Solder® unit, add “-U” to product number.





Pricing available on www.watcomfg.com

More on Tubular Brass

For Brass TechNotes and extensions, see page 67.


Patented and Patents Pending
See watcomfg.com for details.



Brass Cable
See Page 37.

Brass Condensate Overflow Elbow
See TechNotes on page 67.





Through-Wall Chicago Code
See Page 37.

Pricing available on www.watcomfg.com

Trim Kits & Tub Closures for our brass drains...

QuickTrim® Kits





Innovator® QuickTrim® Kits
Page 47



Innovator® Trim Kits
Page 49



Coarse-Thread Tub Closures
Page 53



Replacement Stoppers
Page 53

WATCO... Always a Step Ahead.™

Tubular Brass

Patented and Patents Pending
See watcomfg.com for details.


501/551 Series

17-Gauge Pipe • Coarse Thread: 11.5 tpi • For Brass TechNotes and extensions: page 67



501-PP

Brass Assembly Additional Options



Slip 'N Solder®
To order, add "**U**" to item number.

OR



New York Tee
To order, add "**NY**" to item number.

Example Product #: u 501 — v PF — w BRS — x BZ — y ***

Series Number · Stopper · Material · Finish · Option

501 17-Gauge

501s: 12 Per Carton

Fits Most Tubs up to 16" Deep

501-LT-BRS-CP
501-PP-BRS-CP
501-PF-BRS-CP
PF: NOT IN AB-BO-BS-WH
501-FA-BRS-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI

551 17-Gauge

551s: 10 Per Carton

Fits Most Tubs up to 24" Deep

551-LT-BRS-CP
551-PP-BRS-CP
551-PF-BRS-CP
PF: NOT IN AB-BO-BS-WH
551-FA-BRS-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI

BB	Champagne Bronze	BZ	Oil-Rubbed Bronze	PB	Polished Brass
BN	Brushed Nickel	CB	Chrome Brushed	WH	White
BO	Bone	NP	Nickel Polished	WI	Matte Black
BS	Biscuit				

LT



LIFT AND TURN

PP



PUSH PULL®

PF




PRESFLO® ADA

FA



FOOT ACTUATED ADA



501-502 Rough-In Dimensions

501-551-502-552

Trim Kits	Tub Closures
LT Trim Kit .....58290-__-2H	LT Tub Closure ....58305-___
PP Trim Kit: ...38290-__-2H	PP Tub Closure ...38305-___
PF Trim Kit: ...38250-__-2H	PF Tub Closure ...38360-___
FA Trim Kit:....68290-__-2H	FA Tub Closure....68305-___

TRIM KITS: Pg. 49 *TUB CLOSURES: Pg. 53*

Pricing available on www.watcomfg.com

Tubular Brass

Patented and Patents Pending
See watcomfg.com for details.

502/552 Series

20-Gauge Brass Pipe • Coarse Thread: 11.5 tpi • For Brass TechNotes and extensions: page 67

Brass Assembly Additional Options



502-PP



Slip 'N Solder®
To order, add "**U**" to item number.

OR



New York Tee
To order, add "**NY**" to item number.

Example Product #: u 501 — v PF — w BRS — x BZ — y ***
Series Number | Stopper | Material | Finish | Option

502 20-Gauge

502s: 12 Per Carton

Fits Most Tubs up to 16" Deep

502-LT-BRS-CP
502-PP-BRS-CP
502-PF-BRS-CP
PF: NOT IN AB-BO-BS-WH
502-FA-BRS-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI

552 20-Gauge

552s: 10 Per Carton

Fits Most Tubs up to 24" Deep

552-LT-BRS-CP
552-PP-BRS-CP
552-PF-BRS-CP
PF: NOT IN AB-BO-BS-WH
552-FA-BRS-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI

BB	Champagne Bronze	BZ	Oil-Rubbed Bronze	PB	Polished Brass
BN	Brushed Nickel	CB	Chrome Brushed	WH	White
BO	Bone	NP	Nickel Polished	WI	Matte Black
BS	Biscuit				

LT

LIFT AND TURN

PP


PUSH PULL®

PF

PRESFLO®
ADA

FA

FOOT ACTUATED
ADA



551-552 Rough-In Dimensions


QuickTrim® Kits
Page 47


Coarse-Thread Tub Closures
Page 53


Replacement Stoppers
Page 53

Pricing available on www.watcomfg.com

WATCO... Always a Step Ahead.™

Tubular Brass

Patented and Patents Pending
See watcomfg.com for details.

Trip Lever Models

17-G & 20-G Brass Pipe • Coarse Thread: 11.5 tpi • For Brass TechNotes and extensions: page 67

Example Product #: u **552** — v **TQ** — w **BRS** — x **BO** — y ***

u Series Number	v Stopper	w Material	x Finish	y Option

QUICK ADJUST® ADA

501-TQ 17-Gauge

Fits Most Tubs up to 16” Deep

501-TQ-BRS-CP

501s/502s: 12 Per Carton

502-TQ 20-Gauge

Fits Most Tubs up to 16” Deep

502-TQ-BRS-CP



QUICK ADJUST® ADA

551-TQ 17-Gauge

Fits Most Tubs up to 24” Deep

551-TQ-BRS-CP

551s/552s: 10 Per Carton


552-TQ 20-Gauge

Fits Most Tubs up to 24” Deep

552-TQ-BRS-CP




BN Brushed Nickel	BZ Oil-Rubbed Bronze	PB Polished Brass
BO Bone	CB Chrome Brushed	WH White
BS Biscuit	NP Nickel Polished	WI Matte Black



Installation:

A Establish rough-in length at overflow elbow scale.

B Adjust threaded-rod end on the linkage clevis until the number matches the number on the overflow elbow scale.



NOTE:

Typical installation for:

Model 500-TQ (ABS or PVC)
Model 501-TQ (17ga Brass)
Model 502-TQ (20ga Brass)

Trim Kits for SLIP LOCK®, Trip Lever, and TURNSTYLE® : See pages 51-52 – Faceplate Kits: See page 55.

Trip Lever Bath Wastes require through-the-floor installation.

Pricing available on www.watcomfg.com

Tubular Brass

Patented and Patents Pending
See watcomfg.com for details.

TURNSTYLE® - Direct Drain

17-G & 20-G Brass Pipe • Coarse Thread: 11.5 tpi • For Brass TechNotes and extensions: page 67

	u	v	w	x	y
Example Product #:	552 —	TS —	BRS —	BO —	***
	Series Number	Stopper	Material	Finish	Option

TURNSTYLE®

NOT ADA

501-TS 17-Gauge

Fits Most Tubs up to 16" Deep

501-TS-BRS-CP

501s/502s: 12 Per Carton

502-TS 20-Gauge

Fits Most Tubs up to 16" Deep

502-TS-BRS-CP



TURNSTYLE®

NOT ADA

551-TS 17-Gauge

Fits Most Tubs up to 24" Deep

551-TS-BRS-CP

551s/552s: 10 Per Carton

552-TS 20-Gauge

Fits Most Tubs up to 24" Deep

552-TS-BRS-CP



BN	Brushed Nickel	BZ	Oil-Rubbed Bronze	PB	Polished Brass
BO	Bone	CB	Chrome Brushed	WH	White
BS	Biscuit	NP	Nickel Polished	WI	Matte Black

NOT ADA

Trim Kits for SLIP LOCK®, Trip Lever, and TURNSTYLE® : See pages 51-52 – Faceplate Kits: See page 55.



511 17-Gauge

Tub Closure with 18.125" Extension

12 Per Carton

511-LT-BRS-CP
511-PP-BRS-CP
511-PF-BRS-CP
PF: NOT IN BO-BS-WH
511-FA-BRS-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI



512 17-Gauge

2-Hole Direct Drain

Fits Most Tubs up to 16" Deep

Slip 'N Solder® Available Add -U

12 Per Carton

512-LT-BRS-CP
512-PP-BRS-CP
512-PF-BRS-CP
PF: NOT IN BO-BS-WH
512-FA-BRS-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI

512 Trim Kits same as 501's

TRIM KITS: Pg. 549– TUB CLOSURES: Pg. 53

593 17-Gauge

Innovator® Direct Drain Fits Most Tubs up to 16" Deep

Slip 'N Solder® Available Add -U





12 Per Carton

#11114 TEST CAP & #11575 TEST PLUG

included in all 593 Bath Wastes.

593-LT-BRS-CP
593-PP-BRS-CP
593-PF-BRS-CP
PF: NOT IN BO-BS-WH
593-FA-BRS-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI

593 Trim Kits same as 591's

TRIM KITS: Pg. 49– TUB CLOSURES: Pg. 53

BB	Champagne Bronze	BZ	Oil-Rubbed Bronze	PB	Polished Brass
BN	Brushed Nickel	CB	Chrome Brushed	WH	White
BO	Bone	NP	Nickel Polished	WI	Matte Black
BS	Biscuit				

Pricing available on www.watcomfg.com

WATCO... Always a Step Ahead.™

Tubular Brass

Patented and Patents Pending
See watcomfg.com for details.


17g Brass Innovator®

17-Gauge Brass Pipe • Coarse Thread: 11.5 tpi • For Brass TechNotes and extensions: page 67



591-PP

Brass Assembly Additional Options



Slip 'N Solder®
To order, add "**U**" to item number.

OR



New York Tee
To order, add "**NY**" to item number.

Example Product #: 591 (u: Series Number) — PP (v: Stopper) — BRS (w: Material) — BN (x: Finish) — *** (y: Option)

591 17-Gauge

591s: 12 Per Carton

Fits Most Tubs up to 16" Deep

591-LT-BRS-CP
591-PP-BRS-CP
591-PF-BRS-CP
PF: NOT IN BO-BS-WH
591-FA-BRS-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI

598 17-Gauge

598s: 12 Per Carton

Fits Most Tubs up to 24" Deep

598-LT-BRS-CP
598-PP-BRS-CP
598-PF-BRS-CP
PF: NOT IN BO-BS-WH
598-FA-BRS-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI

BB	Champagne Bronze	BZ	Oil-Rubbed Bronze	PB	Polished Brass
BN	Brushed Nickel	CB	Chrome Brushed	WH	White
BO	Bone	NP	Nickel Polished	WI	Matte Black
BS	Biscuit				

LT

LIFT AND TURN

PP


PUSH PULL®

PF

PRESFLO®
ADA

FA

FOOT ACTUATED
ADA



591-592 Rough-In Dimensions

591-592-598-599

Trim Kits		Tub Closures	
LT Trim Kit	958290-___	LT Tub Closure	58305-___
PP Trim Kit:	938290-___	PP Tub Closure	38305-___
PF Trim Kit:	938250-___	PF Tub Closure	38360-___
FA Trim Kit:	968290-___	FA Tub Closure	68305-___

TRIM KITS: Pg. 49 – TUB CLOSURES: Pg. 53



#11114 TEST CAP & #11577 TEST PLUG
included with all 591 & 598 Bath Wastes.

To order <u>without</u> the Test Cap and Plug, add "-LTK" to end of part number.



Pricing available on www.watcomfg.com

Tubular Brass

Patented and Patents Pending
See watcomfg.com for details.


20g Brass Innovator®

20-Gauge Brass Pipe • Coarse Thread: 11.5 tpi • For Brass TechNotes and extensions: page 67



592-PP

Brass Assembly Additional Options



Slip 'N Solder®
To order, add "**U**" to item number.

OR



New York Tee
To order, add "**NY**" to item number.

Example Product #: 592 (u) — ZRI (v) — BRS (w) — CP (x) — *** (y)
Series Number — Stopper — Material — Finish — Option

592 20-Gauge

592s: 12 Per Carton

Fits Most Tubs up to 16" Deep

592-LT-BRS-CP
592-PP-BRS-CP
592-PF-BRS-CP
PF: NOT IN BO-BS-WH
592-FA-BRS-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI

599 20-Gauge

599s: 12 Per Carton

Fits Most Tubs up to 24" Deep

599-LT-BRS-CP
599-PP-BRS-CP
599-PF-BRS-CP
PF: NOT IN BO-BS-WH
599-FA-BRS-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI

BB	Champagne Bronze	BZ	Oil-Rubbed Bronze	PB	Polished Brass
BN	Brushed Nickel	CB	Chrome Brushed	WH	White
BO	Bone	NP	Nickel Polished	WI	Matte Black
BS	Biscuit				

LT



LIFT AND TURN

PP



PUSH PULL®

PF




PRESFLO® ADA

FA



FOOT ACTUATED ADA



598-599
Rough-In Dimensions



Innovator® QuickTrim® Kits
Page 47



Coarse-Thread Tub Closures
Page 53



Replacement Stoppers
Page 53



#11114 TEST CAP & #11577 TEST PLUG
included with all 592 & 599 Bath Wastes.



Pricing available on www.watcomfg.com

WATCO... Always a Step Ahead.™

Tubular Brass

Patented and Patents Pending
See watcomfg.com for details.

Cable (Non-Testable)

20-Gauge Brass Pipe • Coarse Thread: 11.5 tpi • For Brass TechNotes and extensions, see page 67.

528 Cable 20-Gauge

Fits Most Tubs up to 16" Deep

528-CA-BRS-CP

Add -17G for 17-gauge.

528s: 12 Per Carton

538 Cable 20-Gauge


Fits Most Tubs up to 24" Deep

538-CA-BRS-CP

538s: 10 Per Carton



538-CA-BRS-BZ



528 Series Rough-In Measurements

528-CA Overflow length plus drain length cannot exceed 28 inches.
Overflow Length = 20 inches
Drain Length = 8 inches

538-CA Overflow length plus drain length cannot exceed 38 inches.
Overflow Length = 28 inches
Drain Length = 10 inches

BB	Champagne Bronze	BZ	Oil-Rubbed Bronze	PB	Polished Brass
BN	Brushed Nickel	CB	Chrome Brushed	WH	White
BO	Bone	NP	Nickel Polished	WI	Matte Black
BS	Biscuit				

For Slip "N Solder® unit, add suffix "U" to product number.

Add -17G for 17-gauge.

Cable Trim Kits: Page 49

Chicago-Code

1.5" 17-Gauge Brass Pipe • Coarse Thread: 11.5


567 Chicago-Code 17-Gauge

Fits Most Tubs up to 16" Deep

Call for Finish s -BN -BZ -NP -PB

567-LT-BRS-CP
567-PP-BRS-CP
567-PF-BRS-CP
567-FA-BRS-CP

567s: 12 Per Carton



567-LT-BRS-CP Rough-In Dimensions

ADA PRESFLO® FOOT ACTUATED

For Slip "N Solder® unit, add suffix "U" to product number.


568 Chicago-Code 17-Gauge

Fits Most Tubs up to 24" Deep

Call for Finish s -BN -BZ -NP -PB

568-LT-BRS-CP
568-PP-BRS-CP
568-PF-BRS-CP
568-FA-BRS-CP

568s: 10 Per Carton



568-LT-BRS-CP Rough-In Dimensions

ADA PRESFLO® FOOT ACTUATED

Trim Kits: Pages 49 / Tub Closures: Pages 53

Pricing available on www.watcomfg.com

Lavatory Drains

1.25” 17-Gauge Brass Pipe • Fine Thread: 18 tpi

Patented and Patents Pending
See watcomfg.com for details.

20 Per Carton



800-PP

800 With Overflow

ADA PRESFLO®

800-PP-BRS-CP
800-PF-BRS-CP

Push Pull® and PresFlo® stoppers are available in both the 800 and 801 models.



801-PF

801 Without Overflow

ADA PRESFLO®

801-PP-BRS-CP
801-PF-BRS-CP


FOR OUTSIDE THREADS ON 801’s, ADD “OT” TO NUMBER.
EXAMPLE: 801-PP-BRS-BN-OT




801-PP
801-PF-OT

BB	Champagne Bronze	NP	Nickel Polished
BN	Brushed Nickel	PB	Polished Brass
BZ	Oil-Rubbed Bronze	WI	Matte Black
CB	Chrome Brushed		

LAVATORY DRAINS WITH OVERFLOW



LAVATORY DRAINS WITHOUT OVERFLOW



800/801 SPECIAL DRAIN TUBES

Please use the following codes when ordering lav drains with an upgraded drain tube:

12	12” Chrome Lav Tube
PT7	**7” Plated Lav Tube**
PT12	**12” Plated Lav Tube**

Only In:

BN	**Brushed Nickel**
BZ	**Oil-Rubbed Bronze**
CB	**Chrome Brushed**
NP	**Nickel Polished**
PB	**Polished Brass**

Pricing available on www.watcomfg.com

Lavatory Drains

IdealLav™



One piece drop tube for easy installation

Removable, replaceable grid strainer

Internal stopper seals below the grid

Fits standard sinks with overflow

Tube available in Tubular PVC or solid Brass - Chrome Plated

Grid Strainer can be purchased separately

1 ¼" Tubular x 8 ½" Long

No Popup add -NPU to SKU
Dual use unit with ball add -BL to SKU



Tubular PVC

Solid Brass - Chrome Plated

IdealLav™ Standard Products

Product	Tube Material	Grid Strainer Mat'l.	Trim Finish	Part #
Lav w/Grid Strainer-Plastic	Tubular PVC	ABS Plastic	Chrome	715-P-CP
Lav w/Grid Strainer-Plastic	Tubular PVC	ABS Plastic	Brushed Nickel	715-P-BN
Lav w/Grid Strainer-Plastic	Tubular PVC	ABS Plastic	Rubbed Bronze	715-P-BZ
Lav w/Grid Strainer-Plastic	Tubular PVC	ABS Plastic	Wrought Iron	715-P-WI
Lav w/Grid Strainer-Brass	Tubular PVC	Brass	Chrome	715-B-CP
Lav w/Grid Strainer-Brass	Tubular PVC	Brass	Brushed Nickel	715-B-BN
Lav w/Grid Strainer-Brass	Tubular PVC	Brass	Rubbed Bronze	715-B-BZ
Lav w/Grid Strainer-Plastic	Chrome Plated Brass	ABS Plastic	Chrome	815-P-CP
Lav w/Grid Strainer-Plastic	Chrome Plated Brass	ABS Plastic	Brushed Nickel	815-P-BN
Lav w/Grid Strainer-Plastic	Chrome Plated Brass	ABS Plastic	Rubbed Bronze	815-P-BZ
Lav w/Grid Strainer-Brass	Chrome Plated Brass	Brass	Chrome	815-B-CP
Lav w/Grid Strainer-Brass	Chrome Plated Brass	Brass	Brushed Nickel	815-B-BN
Lav w/Grid Strainer-Brass	Chrome Plated Brass	Brass	Rubbed Bronze	815-B-BZ
Lav w/Grid Strainer-Brass	Chrome Plated Brass	Brass	Wrought Iron	815-B-WI

Replacement Grid Strainers

Material	Finish	Part #
Plastic	Chrome	01056-CP
Plastic	Brushed Nickel	01056-BN
Plastic	Rubbed Bronze	01056-BZ
Plastic	Wrought Iron	01056-WI
Brass	Chrome	01057-CP
Brass	Brushed Nickel	01057-BN
Brass	Rubbed Bronze	01057-BZ
Brass	Wrought Iron	01057-WI

Available in Wrought Iron

Pricing available on www.watcomfg.com

Lavatory Drains

Patented and Patents Pending
See https://www.watcomfg.com/Watco/patents/ for details.

IdealLav™

Features



Includes




Replaceable Grid Strainer



Available in ABS or Solid Brass
Finishes:
- Chrome Plated (CP)
- Brushed Nickel (BN)
- Rubbed Bronze (BZ)

Fits both PVC & Brass Tubes

Parts List



Item	Part #	Description
1	01054CP	IdealLav Brass Trim-CP
	01054BN	IdealLav Brass Trim-BN
	01054BZ	IdealLav Brass Trim-BZ
	01055CP	IdealLav Plastic Trim-CP
	01055BN	IdealLav Plastic Trim-BN
	01055BZ	IdealLav Plastic Trim-BN
2	11137	IdealLav Trim O-Ring
3	11135	IdealLav Stopper O-Ring
4	11151	IdealLav Stopper
5	10655CP	IdealLav Tube Brass
	10069	IdealLav Tube PVC
6	11506	IdealLav Outer Seal
7	10698	IdealLav Slip Washer
8	41581	IdealLav Large Nut Plastic
	41579	IdealLav Large Nut Metal
9	41052CP	IdealLav Lift Knob/Rod-CP
	41052BN	IdealLav Lift Knob/Rod-BN
	41052BZ	IdealLav Lift Knob/Rod-BZ
10	41048	IdealLav Thumb Screw
11	41049	IdealLav Clevis
12	41051	IdealLav Rod Clip
13	41046CP	IdealLav Pivot Ball Nut-CP
14	41045	IdealLav Rod Ball Assembly
15	41053	IdealLav Ball (NPU)

Pricing available on www.watcomfg.com

WATCO... Always a Step Ahead.™

Universal NuFit® Trim Kits & Tub Closures

NOTE: For carded trim kits, place "-C" at end of item number.

INNOVATOR FACEPLATE - Trim Kit with Grid

10 Per Carton



948700-PP-CP-G
PP Trim Kit with Grid and Silicone Packet

948700-PP-CP-G
948700-PP-BB-G
948700-PP-BN-G
948700-PP-BS-G
948700-PP-BZ-G
948700-PP-CB-G
948700-PP-NP-G
948700-PP-PB-G
948700-PP-WH-G
948700-PP-WI-G



948700-PP-CP-G-47
PP Trim Kit with Grid, Silicone & #11547 Pin

948700-PP-CP-G-47
948700-PP-BB-G-47
948700-PP-BN-G-47
948700-PP-BS-G-47
948700-PP-BZ-G-47
948700-PP-CB-G-47
948700-PP-NP-G-47
948700-PP-PB-G-47
948700-PP-WH-G-47
948700-PP-WI-G-47



948700-PP-CP-G-2P
PP Trim Kit with Grid, Silicone, #47 & #51 Pins

948700-PP-CP-G-2P
948700-PP-BB-G-2P
948700-PP-BN-G-2P
948700-PP-BS-G-2P
948700-PP-BZ-G-2P
948700-PP-CB-G-2P
948700-PP-NP-G-2P
948700-PP-PB-G-2P
948700-PP-WH-G-2P
948700-PP-WI-G-2P



948700-PP-CP-G-3P
PP Trim Kit with Grid, Silicone & All 3 Pins

948700-PP-CP-G-3P
948700-PP-BB-G-3P
948700-PP-BN-G-3P
948700-PP-BS-G-3P
948700-PP-BZ-G-3P
948700-PP-CB-G-3P
948700-PP-NP-G-3P
948700-PP-PB-G-3P
948700-PP-WH-G-3P
948700-PP-WI-G-3P

1-HOLE FACEPLATE: (For 2-Hole, add "-2H" to part number)



48700-PP-CP-G
PP Trim Kit with Grid and Silicone Packet

48700-PP-CP-G
48700-PP-BB-G
48700-PP-BN-G
48700-PP-BS-G
48700-PP-BZ-G
48700-PP-CB-G
48700-PP-NP-G
48700-PP-PB-G
48700-PP-WH-G
48700-PP-WI-G



48700-PP-CP-G-47
PP Trim Kit with Grid, Silicone & #11547 Pin

48700-PP-CP-G-47
48700-PP-BB-G-47
48700-PP-BN-G-47
48700-PP-BS-G-47
48700-PP-BZ-G-47
48700-PP-CB-G-47
48700-PP-NP-G-47
48700-PP-PB-G-47
48700-PP-WH-G-47
48700-PP-WI-G-47



48700-PP-CP-G-2P
PP Trim Kit with Grid, Silicone, #47 & #51 Pins

48700-PP-CP-G-2P
48700-PP-BB-G-2P
48700-PP-BN-G-2P
48700-PP-BS-G-2P
48700-PP-BZ-G-2P
48700-PP-CB-G-2P
48700-PP-NP-G-2P
48700-PP-PB-G-2P
48700-PP-WH-G-2P
48700-PP-WI-G-2P



48700-PP-CP-G-3P
PP Trim Kit with Grid, Silicone & All 3 Pins

48700-PP-CP-G-3P
48700-PP-BB-G-3P
48700-PP-BN-G-3P
48700-PP-BS-G-3P
48700-PP-BZ-G-3P
48700-PP-CB-G-3P
48700-PP-NP-G-3P
48700-PP-PB-G-3P
48700-PP-WH-G-3P
48700-PP-WI-G-3P

TUB CLOSURES - with Grid

20 Per Carton



48750-PP-CP-G
PP Tub Closure with Grid and Silicone Packet

48750-PP-CP-G
48750-PP-BB-G
48750-PP-BN-G
48750-PP-BS-G
48750-PP-BZ-G
48750-PP-CB-G
48750-PP-NP-G
48750-PP-PB-G
48750-PP-WH-G
48750-PP-WI-G



48750-PP-CP-G-47
PP Tub Closure with Grid, Silicone & #11547 Pin

48750-PP-CP-G-47
48750-PP-BB-G-47
48750-PP-BN-G-47
48750-PP-BS-G-47
48750-PP-BZ-G-47
48750-PP-CB-G-47
48750-PP-NP-G-47
48750-PP-PB-G-47
48750-PP-WH-G-47
48750-PP-WI-G-47



48750-PP-CP-G-2P
PP Tub Closure with Grid, Silicone, #47 & #51 Pins

48750-PP-CP-G-2P
48750-PP-BB-G-2P
48750-PP-BN-G-2P
48750-PP-BS-G-2P
48750-PP-BZ-G-2P
48750-PP-CB-G-2P
48750-PP-NP-G-2P
48750-PP-PB-G-2P
48750-PP-WH-G-2P
48750-PP-WI-G-2P



48750-PP-CP-G-3P
PP Tub Closure with Grid, Silicone & All 3 Pins

48750-PP-CP-G-3P
48750-PP-BB-G-3P
48750-PP-BN-G-3P
48750-PP-BS-G-3P
48750-PP-BZ-G-3P
48750-PP-CB-G-3P
48750-PP-NP-G-3P
48750-PP-PB-G-3P
48750-PP-WH-G-3P
48750-PP-WI-G-3P

Pricing available on www.watcomfg.com

Universal NuFit® Trim Kits & Tub Closures

NOTE: For carded trim kits, place "-C" at end of item number.

INNOVATOR FACEPLATE - Trim Kit without Grid

10 Per Carton



948700-PP-CP
PP Trim Kit without Grid and Silicone Packet

948700-PP-CP
948700-PP-BB
948700-PP-BN
948700-PP-BS
948700-PP-BZ
948700-PP-CB
948700-PP-NP
948700-PP-PB
948700-PP-WH
948700-PP-WI



948700-PP-CP-47
PP Trim Kit without Grid, Silicone & #11547 Pin

948700-PP-CP-47
948700-PP-BB-47
948700-PP-BN-47
948700-PP-BS-47
948700-PP-BZ-47
948700-PP-CB-47
948700-PP-NP-47
948700-PP-PB-47
948700-PP-WH-47
948700-PP-WI-47



948700-PP-CP-2P
PP Trim Kit without Grid, Silicone, #47 & #51 Pins

948700-PP-CP-2P
948700-PP-BB-2P
948700-PP-BN-2P
948700-PP-BS-2P
948700-PP-BZ-2P
948700-PP-CB-2P
948700-PP-NP-2P
948700-PP-PB-2P
948700-PP-WH-2P
948700-PP-WI-2P



948700-PP-CP-3P
PP Trim Kit without Grid, Silicone & All 3 Pins

948700-PP-CP-3P
948700-PP-BB-3P
948700-PP-BN-3P
948700-PP-BS-3P
948700-PP-BZ-3P
948700-PP-CB-3P
948700-PP-NP-3P
948700-PP-PB-3P
948700-PP-WH-3P
948700-PP-WI-3P

1-HOLE FACEPLATE: (For 2-Hole, add "-2H" to part number)



48700-PP-CP
PP Trim Kit without Grid and Silicone Packet

48700-PP-CP
48700-PP-BB
48700-PP-BN
48700-PP-BS
48700-PP-BZ
48700-PP-CB
48700-PP-NP
48700-PP-PB
48700-PP-WH
48700-PP-WI



48700-PP-CP-47
PP Trim Kit without Grid, Silicone & #11547 Pin

48700-PP-CP-47
48700-PP-BB-47
48700-PP-BN-47
48700-PP-BS-47
48700-PP-BZ-47
48700-PP-CB-47
48700-PP-NP-47
48700-PP-PB-47
48700-PP-WH-47
48700-PP-WI-47



48700-PP-CP-2P
PP Trim Kit without Grid, Silicone, #47 & #51 Pins

48700-PP-CP-2P
48700-PP-BB-2P
48700-PP-BN-2P
48700-PP-BS-2P
48700-PP-BZ-2P
48700-PP-CB-2P
48700-PP-NP-2P
48700-PP-PB-2P
48700-PP-WH-2P
48700-PP-WI-2P



48700-PP-CP-3P
PP Trim Kit without Grid, Silicone & All 3 Pins

48700-PP-CP-3P
48700-PP-BB-3P
48700-PP-BN-3P
48700-PP-BS-3P
48700-PP-BZ-3P
48700-PP-CB-3P
48700-PP-NP-3P
48700-PP-PB-3P
48700-PP-WH-3P
48700-PP-WI-3P

TUB CLOSURES - without Grid

20 Per Carton



48750-PP-CP
PP Tub Closure w/o Grid and Silicone Packet

48750-PP-CP
48750-PP-BB
48750-PP-BN
48750-PP-BS
48750-PP-BZ
48750-PP-CB
48750-PP-NP
48750-PP-PB
48750-PP-WH
48750-PP-WI



48750-PP-CP-47
PP Tub Closure w/o Grid, Silicone & #11547 Pin

48750-PP-CP-47
48750-PP-BB-47
48750-PP-BN-47
48750-PP-BS-47
48750-PP-BZ-47
48750-PP-CB-47
48750-PP-NP-47
48750-PP-PB-47
48750-PP-WH-47
48750-PP-WI-47



48750-PP-CP-2P
PP Tub Closure w/o Grid, Silicone, #47 & #51 Pins

48750-PP-CP-2P
48750-PP-BB-2P
48750-PP-BN-2P
48750-PP-BS-2P
48750-PP-BZ-2P
48750-PP-CB-2P
48750-PP-NP-2P
48750-PP-PB-2P
48750-PP-WH-2P
48750-PP-WI-2P



48750-PP-CP-3P
PP Tub Closure w/o Grid, Silicone & All 3 Pins

48750-PP-CP-3P
48750-PP-BB-3P
48750-PP-BN-3P
48750-PP-BS-3P
48750-PP-BZ-3P
48750-PP-CB-3P
48750-PP-NP-3P
48750-PP-PB-3P
48750-PP-WH-3P
48750-PP-WI-3P

Pricing available on www.watcomfg.com

WATCO... Always a Step Ahead.™

Universal NuFit® Trim Kits & Tub Closures

NOTE: For carded trim kits, place "-C" at end of item number.

INNOVATOR FACEPLATE - FA Trim Kit with Grid

10 Per Carton



948700-FA-CP-G
FA Trim Kit with Grid and Silicone Packet

948700-FA-CP-G
948700-FA-BN-G
948700-FA-BZ-G
948700-FA-CB-G
948700-FA-PB-G
948700-FA-WH-G
948700-FA-WI-G



948700-FA-CP-G-47
FA Trim Kit with Grid, Silicone & #11547 Pin

948700-FA-CP-G-47
948700-FA-BN-G-47
948700-FA-BZ-G-47
948700-FA-CB-G-47
948700-FA-PB-G-47
948700-FA-WH-G-47
948700-FA-WI-G-47



948700-FA-CP-G-2P
FA Trim Kit with Grid, Silicone, #47 & #51 Pins

948700-FA-CP-G-2P
948700-FA-BN-G-2P
948700-FA-BZ-G-2P
948700-FA-CB-G-2P
948700-FA-PB-G-2P
948700-FA-WH-G-2P
948700-FA-WI-G-2P



948700-FA-CP-G-3P
FA Trim Kit with Grid, Silicone & All 3 Pins

948700-FA-CP-G-3P
948700-FA-BN-G-3P
948700-FA-BZ-G-3P
948700-FA-CB-G-3P
948700-FA-PB-G-3P
948700-FA-WH-G-3P
948700-FA-WI-G-3P

1-HOLE : (For 2-Hole, add "-2H" to part number)



48700-FA-CP-G
FA Trim Kit with Grid and Silicone Packet

48700-FA-CP-G
48700-FA-BN-G
48700-FA-BZ-G
48700-FA-CB-G
48700-FA-PB-G
48700-FA-WH-G
48700-FA-WI-G



48700-FA-CP-G-47
FA Trim Kit with Grid, Silicone & #11547 Pin

48700-FA-CP-G-47
48700-FA-BN-G-47
48700-FA-BZ-G-47
48700-FA-CB-G-47
48700-FA-PB-G-47
48700-FA-WH-G-47
48700-FA-WI-G-47



48700-FA-CP-G-2P
FA Trim Kit with Grid, Silicone, #47 & #51 Pins

48700-FA-CP-G-2P
48700-FA-BN-G-2P
48700-FA-BZ-G-2P
48700-FA-CB-G-2P
48700-FA-PB-G-2P
48700-FA-WH-G-2P
48700-FA-WI-G-2P



48700-FA-CP-G-3P
FA Trim Kit with Grid, Silicone & All 3 Pins

48700-FA-CP-G-3P
48700-FA-BN-G-3P
48700-FA-BZ-G-3P
48700-FA-CB-G-3P
48700-FA-PB-G-3P
48700-FA-WH-G-3P
48700-FA-WI-G-3P

TUB CLOSURES - FA with Grid

20 Per Carton



48750-FA-CP-G
FA Tub Closure with Grid and Silicone Packet

48750-FA-CP-G
48750-FA-BN-G
48750-FA-BZ-G
48750-FA-CB-G
48750-FA-PB-G
48750-FA-WH-G
48750-FA-WI-G



48750-FA-CP-G-47
FA Tub Closure with Grid, Silicone & #11547 Pin

48750-FA-CP-G-47
48750-FA-BN-G-47
48750-FA-BZ-G-47
48750-FA-CB-G-47
48750-FA-PB-G-47
48750-FA-WH-G-47
48750-FA-WI-G-47



48750-FA-CP-G-2P
FA Tub Closure with Grid, Silicone, #47 & #51 Pins

48750-FA-CP-G-2P
48750-FA-BN-G-2P
48750-FA-BZ-G-2P
48750-FA-CB-G-2P
48750-FA-PB-G-2P
48750-FA-WH-G-2P
48750-FA-WI-G-2P



48750-FA-CP-G-3P
FA Tub Closure with Grid, Silicone & All 3 Pins

48750-FA-CP-G-3P
48750-FA-BN-G-3P
48750-FA-BZ-G-3P
48750-FA-CB-G-3P
48750-FA-PB-G-3P
48750-FA-WH-G-3P
48750-FA-WI-G-3P

Pricing available on www.watcomfg.com

Push Pull® Stopper

REPLACEMENT STOPPER: Push Pull®



487SA-PP-CP	487SA-PP-CB
487SA-PP-BB	487SA-PP-NP
487SA-PP-BN	487SA-PP-PB
487SA-PP-BS	487SA-PP-WH
487SA-PP-BZ	

FA Replacement Stopper NOT Available.

2-Hole Faceplate



Add -2H

Additional Options: (Add to Part Number)

			
-47 #11547 Pin 3/8-5/16 Brass Pin	-54 #11554 Pin 1/4-20 Brass Pin	-51 #11551 Pin #10-24 Brass Pin	**-NS** **No Silicone Packet**
			
-2P #47 & #51 Brass Pins	-2P2 #47 & #54 Brass Pins	-3P All 3 Brass Pins	**-WB** **Watco Bonding Strip**

Pricing available on www.watcomfg.com

Patented and Patents Pending
See watcomfg.com for details.

NOTE: For carded trim kits, place "-C" at end of item number.

NuFit®


NuFit® kits and tub closures easily and quickly install *over existing strainer bodies*, requiring only the provided silicone adhesive.

NuFit®-Innovator®

Converts conventional overflow and drain to Innovator® snap-on overflow plate and NuFit® strainer body. Includes one each of #11121 Star Retainer Nut, #11641 Adapter Bar, Innovator® Overflow Plate, NuFit® body, stopper assembly, and silicone adhesive.

10 Per Carton

PRESFLO® TRIM KITS




948100-CP

Metal Stopper ADD call

OTHER PF FINISHES:

BN Brushed Nickel	PB Polished Brass
BZ Oil-Rubbed Bronze	WI Matte Black
CB Chrome Brushed	

PUSH PULL® TRIM KITS




948500-CP

OTHER LT FINISHES:

BN Brushed Nickel	PB Polished Brass
BS Biscuit	WH White
BZ Oil-Rubbed Bronze	

LIFT AND TURN TRIM KITS




948400-CP

OTHER LT FINISHES:

BN Brushed Nickel	CB Chrome Brushed
BZ Oil-Rubbed Bronze	PB Polished Brass


See next page for additional NuFit® models.


Pricing available on www.watcomfg.com




Convert an existing 1-hole or 2-hole faceplate to the Innovator® snap-on faceplate.


INSTRUCTIONS FOR CONVERTING AN EXISTING 1-HOLE OR 2-HOLE OVERFLOW PLATE TO A NEW WATCO SNAP-ON INNOVATOR® OVERFLOW PLATE





1. Remove old 1-hole Overflow Plate. Save old screw and re-use.
2. Thread screw all the way into the Adapter Bar.
3. Center and hold the Retainer Star Nut, with prongs pointing out, onto the overflow opening.
4. Thread the screw, with adapter bar, into the Overflow Ell screw hole.
5. Snug the Adapter Bar up to the Retainer Star Nut. DO NOT OVER TIGHTEN.
6. Snap on the new Innovator Overflow Plate with the overflow opening facing down.





1. Remove old 2-hole Overflow Plate. Save old screws and re-use.
2. Center and hold the Retainer Star Nut, with prongs pointing out, and Adapter Bar onto overflow opening in position shown.
3. Pass the 2 screws through the end slots of the Adapter Bar and thread into the Overflow Ell screw holes.
4. Snug the Adapter Bar up to the Retainer Star Nut. DO NOT OVER TIGHTEN.
5. Snap on the new Innovator Overflow Plate with the overflow opening facing down.

©2013 Watco Manufacturing Co. 1220 South Powell Road, Independence, MO 64057 816.796.3900 www.watcomfg.com

18900 0613

Trim Kits


Patented and Patents Pending
See watcomfg.com for details.

NOTE: For carded trim kits, place "-C" at end of item number.

NuFit® Kits

AVAILABLE IN 2-HOLE: Add "2H" to part number. (Example: 48100-CP-2H)

PRESFLO®



#48100 Trim Kit

Brass body, plastic stopper assembly, metal overflow plate, adapter bar, screw, suction cup, and silicone adhesive.

For metal stopper, add "-MS". ADA

10 Per Carton

48100-CP

Metal Stopper ADD Call

BN	Brushed Nickel	PB	Polished Brass
BZ	Oil-Rubbed Bronze	WI	Matte Black
CB	Chrome Brushed		



#48200 Tub Closure

Brass body, plastic stopper assembly, suction cup, and silicone adhesive.
For metal stopper, add "-MS". ADA

20 Per Carton

48200-CP

Metal Stopper Call


BN	Brushed Nickel	PB	Polished Brass
BZ	Oil-Rubbed Bronze	WI	Matte Black
CB	Chrome Brushed		

NuFIT® PRESFLO® FEATURES

Does not need crossbars in old body.

Requires minimum 1.490" I.D. opening
Flange covers maximum of 2.875" O.D.
Depth clearance needed = .850"

PUSH PULL®



#48500 Trim Kit

Brass body, brass stopper assembly, 3/8" and 5/16" brass pins, metal overflow plate, adapter bar, screw, and silicone adhesive. Old strainer body must have crossbars.

10 Per Carton

48500-CP

BN	Brushed Nickel	PB	Polished Brass
BS	Biscuit	WH	White
BZ	Oil-Rubbed Bronze		



#48600 Tub Closure

Brass body, brass stopper assembly, 3/8" and 5/16" brass pins, and silicone adhesive. Old strainer body must have crossbars.

20 Per Carton

48600-CP


BN	Brushed Nickel	PB	Polished Brass
BS	Biscuit	WH	White
BZ	Oil-Rubbed Bronze		

NuFIT® PUSH PULL® FEATURES

Old body MUST have crossbars.

Requires minimum 1.410" I.D. opening
Flange covers maximum of 2.875" O.D.
Depth clearance needed = .860"

LIFT AND TURN



#48400 Trim Kit

Brass body, brass stopper assembly, metal overflow plate, adapter bar, screw, and silicone adhesive. Has crossbars in body.

48400-CP

10 Per Carton

BN	Brushed Nickel	CB	Chrome Brushed
BZ	Oil-Rubbed Bronze	PB	Polished Brass

LIFT AND TURN REPLACEMENT STOPPER

See #38812 on page 58.



#48300 Tub Closure

Brass body, brass stopper assembly, and silicone adhesive. Comes with crossbars in strainer body.

20 Per Carton

48300-CP

BN	Brushed Nickel	CB	Chrome Brushed
BZ	Oil-Rubbed Bronze	PB	Polished Brass

NuFIT® LIFT AND TURN FEATURES

Does NOT need crossbars in old body.

Requires minimum 1.390" I.D. opening
Flange covers maximum of 2.875" O.D.
Depth clearance needed = .390"

Pricing available on www.watcomfg.com

WATCO... Always a Step Ahead.™

Trim Kits

Patented and Patents Pending
See watcomfg.com for details.

NOTE: For carded trim kits, place "-C" at end of item number.

QuickTrim® Kits

QuickTrim® Kits

Install chrome on the rough-in and easily upgrade to a special finish without removing the strainer body

- Sturdy stainless steel looks as good as the original strainer body.
- No reduction in flow rate.
- Produces very little additional height or inside-diameter reduction.
- Uses an o-ring for a tight, snug fit (one for brass strainer bodies and one for zinc strainer bodies).
- Eliminates destroying the integrity of your test.
- Eliminates labor required to remove and replace the strainer body.
- Eliminates the possibility of cross-threading or damaging the tub when replacing the strainer body, or of the drain fitting moving out of line due to being stressed during installation (can require cutting open the sheetrock to repair).

Designed for use on Watco's coarse-thread (1.865" - 11.5) strainer bodies: brass body #01016 and zinc body #11492

Will NOT work with PRESFLO® stoppers.

Strainer Body Covers

Existing stopper is to be used and existing strainer body must have good crossbars.



91050-CP

20 Per Carton

BB Champagne Bronze	BS Biscuit	NP Nickel Polished	WH White
BN Brushed Nickel	BZ Oil-Rubbed Bronze	PB Polished Brass	WI Matte Black
BO Bone	CB Chrome Brushed		

Tub Closures

Existing strainer body must have good crossbars.



Brass Knob & Stopper

Lift and Turn	91615-CP
PUSH PULL®	91610-CP
Foot Actuated	91618-CP

FA only in BB-BN-BZ-CB-CP-NP-PB-WI

20 Per Carton

BB Champagne Bronze	BO Bone	BZ Oil-Rubbed Bronze	WH White
BG Brushed Gold	BS Biscuit	CB Chrome Brushed	WI Matte Black
BN Brushed Nickel	PB Polished Brass	NP Nickel Polished	

Innovator® QuickTrim®

Lift and Turn	959290-CP
PUSH PULL®	939290-CP
Foot Actuated	969290-CP

FA only in BB-BN-BZ-CB-CP-NP-PB-WI




10 Per Carton

BB Champagne Bronze	BN Brushed Nickel	CB Chrome Brushed	WH White
BG Brushed Gold	BO Bone	NP Nickel Polished	WI Matte Black
BZ Oil-Rubbed Bronze	BS Biscuit	PB Polished Brass	

TO ADD STAR RETAINER NUT & ADAPTER BAR, ADD "-11" TO PART NUMBER.
EXAMPLE: 959290-CP-11. .

1-Hole Overflow QuickTrim®

2-Hole Overflow plate, add "2H" to item number.



Lift and Turn	59290-CP
PUSH PULL®	39290-CP
Foot Actuated	69290-CP

FA only in BB-BN-BZ-CB-CP-NP-PB-WI

10 Per Carton

BB Champagne Bronze	BS Biscuit	NP Nickel Polished	WH White
BN Brushed Nickel	BZ Oil-Rubbed Bronze	PB Polished Brass	WI Matte Black
BO Bone	CB Chrome Brushed		

Universal Innovator® QuickTrim®

Innovator® faceplate, strainer body cover, two o-rings, PUSH PULL® stopper assembly with 3/8" and 5/16" pins, adapter bar, retainer star nut, and silicone adhesive.



U939290-CP

10 Per Carton

Universal 1-Hole QuickTrim®

1-hole faceplate and faceplate screw, strainer body cover, two o-rings, PUSH PULL® stopper assembly with 3/8" and 5/16" pins, adapter bar, and silicone adhesive.



U39290-CP

10 Per Carton

BB Champagne Bronze	BS Biscuit	NP Nickel Polished	WH White
BN Brushed Nickel	BZ Oil-Rubbed Bronze	PB Polished Brass	WI Matte Black
BO Bone	CB Chrome Brushed		

FOR 2-HOLE OVERFLOW PLATE, ADD "2H" TO ITEM NUMBER.

Pricing available on www.watcomfg.com

Trim Kits

NOTE: For carded trim kits, place "-C" at end of item number.

528 Brass Cable Trim Kit

Trim Only

Overflow plate and overflow plate locking screw, TurnStyle® overflow mount without prongs, full-cover stopper with washer, and cable strainer body.



52800-CP

10 Per Carton

52800

BN Brushed Nickel	BZ Oil-Rubbed Bronze	PB Polished Brass
BO Bone	CB Chrome Brushed	WH White
BS Biscuit	NP Nickel Polished	WI Matte Black

Conversion Kit

Conversion kit with a short stopper converts a cable drain stopper to a Lift and Turn stopper assembly.



48301-CP

20 Per Carton

48301

BN Brushed Nickel	BZ Oil-Rubbed Bronze	PB Polished Brass
BO Bone	CB Chrome Brushed	WH White
BS Biscuit	NP Nickel Polished	WI Matte Black

Innovator Cable®
Innovator CableFlex®

92999

Fits all Innovator Cable® and CableFlex® models.

Strainer body, core guide, cable faceplate, screw, stopper assembly, and overflow elbow retainer nut.



Innovator Cable® Trim Kits

92999-CP

BB Champagne Bronze	BZ Oil-Rubbed Bronze	PB Polished Brass
BN Brushed Nickel	CB Chrome Brushed	WH White
BS Biscuit	NP Nickel Polished	WI Matte Black

Innovator Cable® Trim Kits with ADA Handle

92999-CPAD

BBAD Champagne Bronze	BZAD Oil-Rubbed Bronze	PBAD Polished Brass
BNAD Brushed Nickel	CBAD Chrome Brushed	WHAD White
BSAD Biscuit	NPAD Nickel Polished	

10 Per Carton

Repair Kit

For all Innovator Cable® models

#92900

(See drawing on page 58 for what is included in Repair Kit.)

92888

Fits all Innovator Cable® and CableFlex® models.

Stopper assembly, cable faceplate, screw, strainer body cover, o-ring, and cable overflow retainer nut cover.

QuickTrim®



No need to replace strainer body.

Innovator Cable® Trim Kits with QuickTrim® body cover

92888-CP

BB Champagne Bronze	BZ Oil-Rubbed Bronze	PB Polished Brass
BN Brushed Nickel	CB Chrome Brushed	WH White
BS Biscuit	NP Nickel Polished	WI Matte Black

Innovator Cable® Trim Kits with ADA Handle and QuickTrim® body cover

92888-CPAD

BBAD Champagne Bronze	BZAD Oil-Rubbed Bronze	PBAD Polished Brass
BNAD Brushed Nickel	CBAD Chrome Brushed	WHAD White
BSAD Biscuit	NPAD Nickel Polished	

10 Per Carton

Pricing available on www.watcomfg.com

Trim Kits

11.5- & 12-Thread Bodies - Coarse Thread

Patented/Patent Pending

NOTE: For carded trim kits, place "-C" at end of item number.

11.5-Thread Innovator® (Coarse Thread)

WITH SNAP-ON OVERFLOW PLATE



10 Per Carton

Change trim finishes on Innovator® bath wastes.

Thread size: 1.865" O.D. – 11.5 tpi x 1.25' depth

Flange: 2-7/8"

Trade designation 1-1/2" x 11.5 Coarse Thread

Lift and Turn	958290-CP
PUSH PULL®	938290-CP
PRESFLO®	938250-CP
PF NOT in BO-BS-WH	
Foot Actuated	968290-CP
FA:BB-BN-BZ-CB-CP-NP-PB-WI	

Includes:
Innovator® OF Plate, 11.5 tpi Body, and Stopper Assembly

BB Champagne Bronze	BS Biscuit	NP Nickel Polished	WI Matte Black
BN Brushed Nickel	BZ Oil-Rubbed Bronze	PB Polished Brass	
BO Bone	CB Chrome Brushed	WH White	

10 Per Carton

TRIM KITS TO CONVERT OLD OVERFLOW TO WATCO'S INNOVATOR® SNAP-ON OVERFLOW PLATE





Optional #38105 Bushing

SEE PAGES 50 OR 60 FOR INSTRUCTIONS.

Convert 1- or 2-hole overflow plate to Innovator® snap-on overflow.

Thread size: 1.865" O.D. – 11.5 tpi x 1.25" depth

Flange: 2-7/8"

Lift and Turn	91100-LT-CP
PUSH PULL®	91100-PP-CP
PRESFLO®	91100-PF-CP
PF NOT in BO-BS-WH	
Foot Actuated	91100-FA-CP
FA:BB-BN-BZ-CB-CP-NP-PB-WI	

Includes:
Retainer Star Nut, Overflow Plate, Adapter Bar, 11.5 tpi Body, Stopper Assembly

BB Champagne Bronze	BS Biscuit	NP Nickel Polished	WI Matte Black
BN Brushed Nickel	BZ Oil-Rubbed Bronze	PB Polished Brass	
BO Bone	CB Chrome Brushed	WH White	

Above trim kits with 38105 Bushing, converts to 2.11" O.D. – 16 tpi

Lift and Turn	91105-LT-CP
PUSH PULL®	91105-PP-CP
PRESFLO®	91105-PF-CP
PF NOT in BO-BS-WH	
Foot Actuated	91105-FA-CP
FA:BB-BN-BZ-CB-CP-NP-PB-WI	

Fits Kohler 7150 bath wastes.

BB Champagne Bronze	BS Biscuit	NP Nickel Polished	WI Matte Black
BN Brushed Nickel	BZ Oil-Rubbed Bronze	PB Polished Brass	
BO Bone	CB Chrome Brushed	WH White	

11.5-Thread 1-Hole OF Plate

2-Hole Overflow plate, add "2H" to item number.



10 Per Carton

Thread size: 1.865" O.D. x 11.5 tpi - 1.25' depth

Flange: 2-7/8"

Trade designation 1-1/2" x 11.5 - Coarse Thread

Lift and Turn	58290-CP
PUSH PULL®	38290-CP
PRESFLO®	38250-CP
PF NOT in BO-BS-WH	
Foot Actuated	68290-CP
FA:BB-BN-BZ-CB-CP-NP-PB-WI	

Includes:
1-Hole OF Plate, 1 OF Plate Screw, 11.5 tpi Body, Stopper Assembly, Adapter Bar

BB Champagne Bronze	BS Biscuit	NP Nickel Polished	WI Matte Black
BN Brushed Nickel	BZ Oil-Rubbed Bronze	PB Polished Brass	
BO Bone	CB Chrome Brushed	WH White	

Above trim kits with 38105 bushing, converts to 2.11" O.D. – 16 tpi

Lift and Turn	58390-CP
PUSH PULL®	38390-CP
PRESFLO®	38280-CP
PF NOT in BO-BS-WH	
Foot Actuated	68390-CP
FA:BB-BN-BZ-CB-CP-NP-PB-WI	

Fits Kohler 7150 bath wastes

BB Champagne Bronze	BS Biscuit	NP Nickel Polished	WI Matte Black
BN Brushed Nickel	BZ Oil-Rubbed Bronze	PB Polished Brass	
BO Bone	CB Chrome Brushed	WH White	

WIDE FLANGE Strainer Bodies

Thread size: 1.865" O.D. – 11.5 tpi - 1.25" depth

Flange: 3.00"

Trade designation 1-1/2" x 11.5 - Coarse Thread

Lift and Turn	58296-CP
PUSH PULL®	38296-CP
Foot Actuated	68296-CP

OTHER FINISH AVAILABLE: PB...

Includes:
1-Hole OF Plate, 1 OF Plate Screw, 11.5 tpi Body with 3.00" Flange, Stopper Assembly, Adapter Bar

Above trim kits with 38105 bushing and WIDE FLANGE

Flange: 3.00"

Converts to 2.11" O.D. – 16 tpi

Lift and Turn	58390W-CP	PB
PUSH PULL®	38390W-CP	PB
Foot Actuated	68390W-CP	PB

12-Thread (Coarse Thread)

Thread size: 1.75" O.D. – 12 tpi x 1.25" depth

Flange: 2-7/8"

Lift and Turn	58433-CP
PUSH PULL®	38433-CP
Foot Actuated	68433-CP

AVAILABLE ONLY IN CHROME

1-Hole OF Plate, 1 OF Plate Screw, 12 tpi Body, Stopper Assembly, Adapter Bar

Pricing available on www.watcomfg.com

Trim Kits

Patented and Patents Pending
See watcomfg.com for details.

14- & 16-Thread Bodies - Fine Thread

NOTE: For carded trim kits, place "-C" at end of item number.

Innovator® 16-Thread (Fine Thread)

For the Innovator® Plus 940/941 Series only

WITH SNAP-ON OVERFLOW PLATE



10 Per Carton

Change trim finishes on Innovator® Plus bath wastes.

Thread size: 1.625" O.D. – 16 tpi x 1.25" depth — Flange: 2-7/8"
Trade designation 1-3/8" x 16 - Fine Thread

Lift and Turn	958080-CP
PUSH PULL®	938080-CP
PRESFLO®	938260-CP
PF NOT in BO-BS-WH	
Foot Actuated	968080-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI	

Includes: *Innovator® OF Plate, 16 tpi Body, Stopper Assembly*

BB	Champagne Bronze	BS	Biscuit	NP	Nickel Polished	WI	Matte Black
BN	Brushed Nickel	BZ	Oil-Rubbed Bronze	PB	Polished Brass		
BO	Bone	CB	Chrome Brushed	WH	White		

Convert 1- or 2-Hole to Snap-On Overflow

Thread size: 1.625" O.D. – 16 tpi x 1.25" depth — Flange: 2-7/8"

Lift and Turn	91600-LT-CP
PUSH PULL®	91600-PP-CP
PRESFLO®	91600-PF-CP
PF NOT in AB-BO-BS-WH	
Foot Actuated	91600-FA-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI	

Includes: *Retainer Star Nut, Overflow Plate, Adapter Bar, 16 tpi Body, Stopper Assembly*

BB	Champagne Bronze	BS	Biscuit	NP	Nickel Polished	WI	Matte Black
BN	Brushed Nickel	BZ	Oil-Rubbed Bronze	PB	Polished Brass		
BO	Bone	CB	Chrome Brushed	WH	White		

Above trim kits with 38101 bushing converts to 1.865" O.D. – 11.5 tpi

10 Per Carton

Lift and Turn	958190-CP
PUSH PULL®	938190-CP
PRESFLO®	938270-CP
PF NOT in BO-BS-WH	
Foot Actuated	968190-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI	

Includes: *Retainer Star Nut, Overflow Plate, Adapter Bar, 16 tpi Body, Stopper Assembly,* ***38101 Bushing***

BB	Champagne Bronze	BS	Biscuit	NP	Nickel Polished	WI	Matte Black
BN	Brushed Nickel	BZ	Oil-Rubbed Bronze	PB	Polished Brass		
BO	Bone	CB	Chrome Brushed	WH	White		

14-Thread (Fine Thread) - 1-Hole OF

10 Per Carton

Change trim finishes on 1-Hole bath wastes.

Thread size: 1.625" O.D. – 14 tpi x 1.25" depth — Flange: 2-7/8"
Trade designation 1-3/8" x 14

Lift and Turn	58490-CP
PUSH PULL®	38490-CP
Foot Actuated	68490-CP
FA: BN-BZ-CB-CP-PB-WH	

Includes: *1-Hole OF Plate, Screw, 14 tpi Body, Stopper Assembly, Adapter Bar*

BN	Brushed Nickel	BZ	Oil-Rubbed Bronze	PB	Polished Brass
BO	Bone	CB	Chrome Brushed	WH	White

16-Thread (Fine Thread) 1-Hole OF

Change trim finishes on 1-Hole bath wastes.

2-Hole Overflow plate, add "2H" to item number.



10 Per Carton

Thread size: 1.625" O.D. – 16 tpi x 1.25" depth — Flange: 2-7/8"
Trade designation 1-3/8" x 16 - Fine Thread

Lift and Turn	58080-CP
PUSH PULL®	38080-CP
PRESFLO®	38260-CP
PF NOT in BO-BS-WH	
Foot Actuated	68080-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI	

Includes: *1-Hole OF Plate, 1 OF Plate Screw, 16-tpi Body, Stopper Assembly, Adapter Bar*

BB	Champagne Bronze	BS	Biscuit	NP	Nickel Polished	WI	Matte Black
BN	Brushed Nickel	BZ	Oil-Rubbed Bronze	PB	Polished Brass		
BO	Bone	CB	Chrome Brushed	WH	White		

Above trim kits with 38101 bushing converts to 1.865" O.D. – 11.5 tpi

Lift and Turn	58190-CP
PUSH PULL®	38190-CP
PRESFLO®	38270-CP
PF NOT in BO-BS-WH	
Foot Actuated	68190-CP
FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI	

Includes: *1-Hole OF Plate, 1 OF Plate Screw, 16-tpi Body, Stopper Assembly, Adapter Bar,* ***38101 Bushing***

BB	Champagne Bronze	BS	Biscuit	NP	Nickel Polished	WI	Matte Black
BN	Brushed Nickel	BZ	Oil-Rubbed Bronze	PB	Polished Brass		
BO	Bone	CB	Chrome Brushed	WH	White		

Bushing Body Trim Kit & #38112 Bushing

Thread size: 1.375" O.D. – 16 tpi x 1.5" depth with 38112 bushing, converts to 1.625" O.D. – 14 tpi — Flange: 2-7/8"

Lift and Turn	51612-CP
PUSH PULL®	38212-CP



#38112 Bushing

BN	Brushed Nickel	BZ	Oil-Rubbed Bronze	PB	Polished Brass
BO	Bone	CB	Chrome Brushed	WH	White

16-Thread: 1" body depth (Fine Thread)

10 Per Carton

Thread size: 1.625" O.D. – 16 tpi x 1" depth — Flange: 2-7/8"

PUSH PULL® 38090-CP

OTHER FINISHES: BO Bone PB Polished Brass WH White

With 38104 bushing converts to 1.9" O.D. – 14 tpi

PUSH PULL® 38194-CP



Thread size: 1-11/16" O.D. – 16 tpi x 1" depth — Flange: 2-7/8"
Trade designation 1-11/16"

PUSH PULL® 38420-CP **Chrome only.**

Pricing available on www.watcomfg.com

WATCO... Always a Step Ahead.™

Trim Kits

NOTE: for carded trim kits, Place "-C" at end of item number.

Trip-Lever Type Kits

Dome Strainer Cover Kits

Dome Strainer Cover and Bushing Trim Kit

20 Per Carton



38101 Bushing converts to 11.5 tpi

1-Hole Overflow Plate, Overflow Plate Screw, Adapter Bar, Dome Strainer Cover, Strainer Cover Plate Screw, #11490CP 16-tpi trip lever strainer body, and #38101 bushing

38661-CP

BN Brushed Nickel	BZ Oil-Rubbed Bronze	PB Polished Brass
BO Bone	CB Chrome Brushed	WH White
BS Biscuit	NP Nickel Polished	WI Matte Black

Dome Strainer Cover and Screw

20 Per Carton



Covers existing trip-lever-type strainer body. One each of the Dome Strainer Cover and Strainer Cover Plate Screw.

18660-CP

Dome Strainer Cover and Screw, Strainer Body, NO Bushing



Coarse-Thread 11.5 tpi	18662-CP
Fine-Thread 16 tpi	18663-CP

Dome Strainer Cover, Strainer Cover Plate Screw, trip lever strainer body, NO bushing.

18661-CP

Dome Strainer Cover and Screw, 16-tpi Body, and Bushing



38101 Bushing converts to 11.5 tpi

Dome Strainer Cover, Strainer Cover Plate Screw, #11490CP 16-tpi trip lever strainer body, and the #38101 bushing.

BN Brushed Nickel	BZ Oil-Rubbed Bronze	PB Polished Brass
BO Bone	CB Chrome Brushed	WH White
BS Biscuit	NP Nickel Polished	WI Matte Black

TRIM ONLY

TRIP LEVER & SLIPLOCK®



10 Per Carton

For either plastic or brass bath wastes

One trip lever faceplate assembly, two overflow plate screws, one cotter pin, one strainer body dome cover and screw.

38702-CP

BN Brushed Nickel	BZ Oil-Rubbed Bronze	PB Polished Brass
BO Bone	CB Chrome Brushed	WH White
BS Biscuit	NP Nickel Polished	WI Matte Black

LINKAGE ONLY (TRIP LEVER)

20 Per Carton

#10950 Trip Lever Quick Adjust® Clevis, #10952 TL Linkage Nut, #10953 Eye Bolt, #10954 5-1/4" Double-Loop Wire, #10930 Cotter Pin annealed, and appropriate Drop Cylinder.

38660-BRS

38660-BRS
38660-ABS
38660-PVC



TRIP LEVER WITH LINKAGE & DROP

20 Per Carton

Faceplate, Linkage, and Drop Cylinder

10770-PVC



Fits up to 16" Trip Lever models.

Trip lever faceplate assembly (QUICK ADJUST® clevis), trip lever linkage parts, 5.25" double-loop wire, and drop cylinder. NO screws included.

PLASTIC	LIST	BRASS	LIST
10770-*___-CP		10770-BRS-CP	

BN Brushed Nickel	BZ Oil-Rubbed Bronze	PB Polished Brass
BO Bone	CB Chrome Brushed	WH White
BS Biscuit	NP Nickel Polished	WI Matte Black

**Indicate if drop cylinder is ABS or PVC.*

TRIP LEVER WITH LINKAGE, WIRES & DROP

12 Per Carton

Faceplate, Linkage, Drop Cylinder, Extra Double-Loop Wires



Fits up to 24" Trip Lever models.

Trip lever faceplate assembly (QUICK ADJUST® clevis), Trip Lever linkage parts, standard 5.25" double-loop wire plus four additional wires, and a drop cylinder. NO screws included.

10771-PVC

PLASTIC	LIST	BRASS	LIST
10771-*___-CP		10771-BRS-CP	

BN Brushed Nickel	BZ Oil-Rubbed Bronze	PB Polished Brass
BO Bone	CB Chrome Brushed	WH White
BS Biscuit	NP Nickel Polished	WI Matte Black

**Indicate if drop cylinder is ABS or PVC.*

Pricing available on www.watcomfg.com

Trim Kits Trip Lever • SLIP LOCK® • TURNSTYLE®

TRIP LEVER ALL TRIM, LINKAGE & DROP

20 Per Carton

Fits up to 16" Trip Lever models.

Trip lever faceplate assembly (QUICK ADJUST® clevis), Trip Lever linkage parts, 5.25" double-loop wire, drop cylinder, overflow plate screws, and strainer cover plate and screw.



PLASTIC	LIST	BRASS	LIST
38770-*___-CP		38770-BRS-CP	

BN	Brushed Nickel	BZ	Oil-Rubbed Bronze	PB	Polished Brass
BO	Bone	CB	Chrome Brushed	WH	White
BS	Biscuit	NP	Nickel Polished	WI	Matte Black

Indicate if drop cylinder is ABS or PVC.

ALL TRIM, LINKAGE, DROP & EXTRA WIRES

12 Per Carton

Fits up to 24" Trip Lever models.

Trip lever faceplate assembly (QUICK ADJUST® clevis), Trip Lever linkage parts, 5.25" double-loop wire plus four additional wires, drop cylinder, overflow plate screws, and strainer cover plate and screw.



PLASTIC	LIST	BRASS	LIST
38771-*___-CP		38771-BRS-CP	

BN	Brushed Nickel	BZ	Oil-Rubbed Bronze	PB	Polished Brass
BO	Bone	CB	Chrome Brushed	WH	White
BS	Biscuit	NP	Nickel Polished	WI	Matte Black

Indicate if drop cylinder is ABS or PVC.

SLIP LOCK®

TRIP LEVER

20 Per Carton

ADA

38170
38180

Change trim finishes and linkage on SLIP LOCK® bath wastes.

NO DROP CYLINDER.



Thread size: 1.625" O.D. – 16 tpi x 1.25" depth — Flange: 2-7/8"

38170-CP

Thread size: 1.865" O.D. – 11.5 tpi x 1.25' depth — Flange: 2-7/8""

38180-CP

39100



20 Per Carton

Same as above but NO STRAINER BODY.

39100-CP

BN	Brushed Nickel	BZ	Oil-Rubbed Bronze	PB	Polished Brass
BO	Bone	CB	Chrome Brushed	WH	White
BS	Biscuit	NP	Nickel Polished	WI	Matte Black

TURNSTYLE® TRIM & LINKAGE



TURNSTYLE® Assembly only

20200-CP



For models up to 16"

20 Per Carton

39500-CP



For models up to 24"

12 Per Carton

39551-CP

BN	Brushed Nickel	NP	Nickel Polished
BO	Bone	PB	Polished Brass
BS	Biscuit	WH	White
BZ	Oil-Rubbed Bronze	WI	Matte Black
CB	Chrome Brushed		

Pricing available on www.watcomfg.com

WATCO... Always a Step Ahead.™

Tub Closures

NOTE: For carded trim kits, place "-C" at end of item number.

Coarse-Thread Bodies

LT — LIFT AND TURN



PP — PUSH PULL®



PF — PRESFLO® ADA



FA — FOOT ACTUATED ADA



20 Per Carton

11.5 THREADS PER INCH (Coarse-Thread)

1.865" O.D. – 11.5 tpi x 1.25" depth Flange: 2-7/8"

11.5-Thread Strainer Body and Stopper Assembly
Trade designation 1-1/2" x 11.5

Lift and Turn	58305-CP
PUSH PULL®	38305-CP
PRESFLO®	38360-CP
PF NOT in BO-BS-WH	
Foot Actuated	68305-CP
FA:BB-BN-BZ-CB-CP-NP-PB-WI	

WITH 38105 BUSHING Converts to 2.11" – 16

Lift and Turn	58329-CP
PUSH PULL®	38329-CP
PRESFLO®	38370-CP
PF NOT in BO-BS-WH	
Foot Actuated	68329-CP
FA:BB-BN-BZ-CB-CP-NP-PB-WI	

Other Finishes:

BB Champagne Bronze	CB Chrome Brushed
BN Brushed Nickel	NP Nickel Polished
BO Bone	PB Polished Brass
BS Biscuit	WH White
BZ Oil-Rubbed Bronze	WI Matte Black

11.5 THREADS PER INCH (Cont.)

1.865" O.D. – 11.5 tpi x 1.25" depth Flange: 2-7/8"

ABS plastic knob and stopper; trade designation 1-1/2" x 11.5

PUSH PULL® Zinc Strainer Body	38651-CP
PUSH PULL® Brass Strainer Body	38921-CP

Available only in Chrome Plated

1.865" O.D. – 11.5 tpi x 1.25" depth WIDE Flange: 3"

Wide-Flange strainer body with stopper assembly

Lift and Turn	58306-CP	PB
PUSH PULL®	38306-CP	PB
Foot Actuated	68306-CP	PB

12 THREADS PER INCH (Coarse-Thread)

1.750" O.D. – 12 tpi x 1.25" depth Flange: 2-7/8"

Lift and Turn	58333-CP
PUSH PULL®	38333-CP
Foot Actuated	68333-CP

Available only in Chrome Plated

Replacement Stoppers

20 Per Carton

LIFT AND TURN - 3/8" PIN ONLY



Brass knob and stopper

Standard Length 38810-CP

Other Finishes Available:

BB Champagne Bronze	CB Chrome Brushed
BN Brushed Nickel	NP Nickel Polished
BO Bone	PB Polished Brass
BS Biscuit	WH White
BZ Oil-Rubbed Bronze	WI Matte Black

NuFit; short pin 38812-CP

BN | BZ | PB

FOOT ACTUATED - 3/8" OR 5/16" PIN



ABS Plastic

3/8" Pin 38412-CP

Other Finishes Available:

BN Brushed Nickel	PB Polished Brass
BZ Oil-Rubbed Bronze	WH White
CB Chrome Brushed	WI Matte Black
NP Nickel Polished	

5/16" Pin 38410-CP

Replacement Seal 11519

PUSH PULL® - WITH 3/8" & 5/16" PINS



#38516-CP
Brass knob and stopper

Brass Knob/Stopper 38516-CP

Other Finishes Available:

BB Champagne Bronze	CB Chrome Brushed
BN Brushed Nickel	NP Nickel Polished
BO Bone	PB Polished Brass
BS Biscuit	WH White
BZ Oil-Rubbed Bronze	WI Matte Black

ABS Knob/Stopper 38530-CP

Available only in Chrome

PUSH PULL® - WITH ONE PIN



#38610-
#38710-
#38540-
Brass knob and stopper

3/8" Pin: Brass Knob/Stopper 38610-CP

5/16" Pin: Brass Knob/Stopper 38710-CP

1/4" Pin: Brass Knob/Stopper 38540-CP

Other Finishes Available:

BB Champagne Bronze	CB Chrome Brushed
BN Brushed Nickel	NP Nickel Polished
BO Bone	PB Polished Brass
BS Biscuit	WH White
BZ Oil-Rubbed Bronze	WI Matte Black

3/8" Pin: ABS Knob/Stopper 38520-CP

Universal NuFit® PP Replacement Stopper:
See pages 44

Pricing available on www.watcomfg.com

Tub Closures

NOTE: For carded trim kits, place "-C" at end of item number.

Fine-Thread Bodies

LT — LIFT AND TURN

PP — PUSH PULL®

PF — PRESFLO® ADA

FA — FOOT ACTUATED ADA



20 Per Carton

Tub Closures with Adapter Bushings also available. (Page 56)

14 THREADS PER INCH (Fine-Thread)

1.625" O.D. – 14 tpi x 1.25" depth — Flange: 2-7/8"

Stopper assembly and 14-tpi Strainer Body
Trade designation 1-3/8" x 14

Lift and Turn	58309-CP
PUSH PULL®	38309-CP
Foot Actuated	68309-CP

FA: BN-BZ-CB-CP-PB

Other Finishes:

BN Brushed Nickel | BZ Oil-Rubbed Bronze | PB Polished Brass
BO Bone | CB Chrome Brushed | WH White

1.625" O.D. – 14 tpi x 1.25" depth — WIDE Flange: 3.0"

Stopper Assembly and 14-tpi, Wide-Flange Strainer Body

Lift and Turn	58308-CP	PB
PUSH PULL®	38308-CP	PB
Foot Actuated	68308-CP	PB

16 THREADS PER INCH (Fine-Thread)

1.625" O.D. – 16 tpi x 1.0" depth — Flange: 2-7/8"

PUSH PULL® — Body Depth: 1"

Tub Closure without bushing	38325-CP
With 38101 bushing: to 1.865" O.D. x 11.5	38312-CP
With 38102 bushing: to 1.8" O.D. x 14	38313-CP

Other Finishes: BO Bone | PB Polished Brass | WH White

1.625" O.D. – 16 tpi x 1.25" depth — WIDE Flange: 3.0"

Stopper Assembly and 16-tpi, Wide-Flange Strainer Body

Lift and Turn	58307-CP	PB
PUSH PULL®	38307-CP	PB
Foot Actuated	68307-CP	PB

1.375" O.D. – 16 tpi x 1.50" depth — Flange: 2-7/8"

Bushing Strainer Body and Stopper Assembly
Trade designation 1-3/8" x 16 (See page 56 for adapter bushings.)

Lift and Turn	58220-CP
PUSH PULL®	38220-CP

Other Finishes:

BN Brushed Nickel | BZ Oil-Rubbed Bronze | PB Polished Brass
BO Bone | CB Chrome Brushed | WH White

16 THREADS PER INCH (Cont.)

1.625" O.D. – 16 tpi x 1.25" depth — Flange: 2-7/8"

Stopper assembly and 16-tpi Strainer Body
Trade designation 1-3/8" x 16

Lift and Turn	58301-CP
PUSH PULL®	38301-CP
PRESFLO®	38380-CP
PF NOT in BO-BS-WH	
Foot Actuated	68301-CP

FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI

WITH 38101 BUSHING — Converts to 1.865" – 11.5

Lift and Turn	58319-CP
PUSH PULL®	38319-CP
PRESFLO®	38219-CP
PF NOT in BO-BS-WH	
Foot Actuated	68319-CP

FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI

WITH 38102 BUSHING — Converts to 1.8" – 14

Lift and Turn	58350-CP
PRESFLO®	38350-CP
PF NOT in BO-BS-WH	

WITH 38103 BUSHING — Converts to 1.802" – 16

Lift and Turn	58321-CP
PUSH PULL®	38321-CP
PRESFLO®	38385-CP
PF NOT in BO-BS-WH	
Foot Actuated	68321-CP

FA: BB-BN-BZ-CB-CP-NP-PB-WH-WI

WITH 38104 BUSHING — Converts to 1.9" – 14

Lift and Turn	58317-CP
PUSH PULL®	38317-CP
PRESFLO®	38375-CP
PF NOT in BO-BS-WH	
Foot Actuated	68317-CP

FA: BB-BN-BZ-CB-CP-PB-WI

Other Finishes:

BB Champagne Bronze | CB Chrome Brushed
BN Brushed Nickel | NP Nickel Polished
BO Bone | PB Polished Brass
BS Biscuit | WH White
BZ Oil-Rubbed Bronze | WI Matte Black

Pricing available on www.watcomfg.com

WATCO... Always a Step Ahead.™

Faceplate Kits

NOTE: For carded trim kits, place "-C" at end of item number.

1-Hole Faceplate Kits



Includes one #01002 faceplate and one #01024 faceplate screw.

- *Faceplate Diameter - 3 ⅜"*

18001-CP — 10 Per Carton

Same Kit but with Adapter Bar



Includes one #01002 faceplate, one #01024 faceplate screw, and one #11641 adapter bar.

- *Faceplate Diameter - 3 ⅜"*

18003-CP — 10 Per Carton

2-Hole Faceplate Kits



Includes one #01003 faceplate and two #01024 faceplate screws.

- *Faceplate Diameter - 3 ⅜"*

18002-CP — 10 Per Carton

Innovator® Faceplate Kits



Converts 1-or 2-hole faceplate to the Innovator® faceplate. Includes faceplate, retainer star nut, and adapter bar.

- *Faceplate Diameter - 3 ⅛"*

18009-CP — 10 Per Carton

See below for conversion instructions.

BB	Champagne Bronze	BS	Biscuit	NP	Nickel Polished	WI	Matte Black
BN	Brushed Nickel	BZ	Oil-Rubbed Bronze	PB	Polished Brass		
BO	Bone	CB	Chrome Brushed	WH	White		

Trip Lever Faceplate Kits



Includes one #10700 trip lever faceplate assembly, two #01024 faceplate screws, and one #10930 cotter pin.

- *Faceplate Diameter - 3 ⅛"*

18702-CP — 10 Per Carton

BB	Champagne Bronze	BS	Biscuit	NP	Nickel Polished
BN	Brushed Nickel	BZ	Oil-Rubbed Bronze	WH	White
BO	Bone	CB	Chrome Brushed	WI	Matte Black


Square innovator Faceplate kit:



To Order: 18008-(finish)
Example: 18008-WI = Square innovator Faceplate Kit in Wrought Iron Finish





Finish Add -SQ	
CP	Chrome Plated
BN	Brushed Nickel
BZ	Oil-Rubbed Bronze
WI	Matte Black




With Overflow Plate Kit #18009 (above), convert an existing 1-hole or 2-hole faceplate to the Innovator® snap-on faceplate.


INSTRUCTIONS FOR CONVERTING AN EXISTING 1-HOLE OR 2-HOLE OVERFLOW PLATE TO A NEW WATCO SNAP-ON INNOVATOR® OVERFLOW PLATE





1. Remove old 1-hole Overflow Plate. Save old screw and re-use.
2. Thread screw all the way into the Adapter Bar.
3. Center and hold the Retainer Star Nut, with prongs pointing out, onto the overflow opening.
4. Thread the screw, with adapter bar, into the Overflow Ell screw hole.
5. Snug the Adapter Bar up to the Retainer Star Nut. DO NOT OVER TIGHTEN.
6. Snap on the new Innovator Overflow Plate with the overflow opening facing down.





1. Remove old 2-hole Overflow Plate. Save old screws and re-use.
2. Center and hold the Retainer Star Nut, with prongs pointing out, and Adapter Bar onto overflow opening in position shown.
3. Pass the 2 screws through the end slots of the Adapter Bar and thread into the Overflow Ell screw holes.
4. Snug the Adapter Bar up to the Retainer Star Nut. DO NOT OVER TIGHTEN.
5. Snap on the new Innovator Overflow Plate with the overflow opening facing down.

©2013 Watco Manufacturing Co. 1220 South Powell Road, Independence, MO 64057 816.796.3900 www.watcomfg.com

18900 0613

Pricing available on www.watcomfg.com

Parts

Bushing Adapters & Accessories

BRASS ADAPTER BUSHINGS





38100BUSH
Bushing Display Board
with Bushings #38101 - #38116

PROD#	COLOR	CONVERTS: O.D. Body Threads	to	O.D. Bushing Threads
38101	Green	converts from 1.625" - 16	to	1.865" - 11.5
38102	Blue	converts from 1.625" - 16	to	1.8" - 14
38103	Red	converts from 1.625" - 16	to	1.802" - 16
38104	Orange	converts from 1.625" - 16	to	1.9" - 14
38105	Purple	converts from 1.865" - 11.5	to	2.11" - 16
38106	Pink	converts from 1.865" - 11.5	to	2.35" - 11.5
38107	Lt Blue	converts from 1.625" - 16	to	1.735" - 16
38108	Lt Green	converts from 1.625" - 16	to	1.865" - 16 (.5" Height)
38109	Brown	converts from 1.625" - 16	to	1.75" - 12
38110	Silver	converts from 1.625" - 16	to	1.865" - 14
38111	White	converts from 1.375" - 16	to	1.625" - 16
38112	Yellow	converts from 1.375" - 16	to	1.625" - 14
38113	Black & White	converts from 1.375" - 16	to	1.813" - 14
38114	Black	converts from 1.375" - 16	to	1.75" - 12
38115	Red & Blue	converts from 1.865" - 11.5	to	2.00" - 16
38116*	Orange & Purple	converts from 1.375" - 16	to	1.6615" - 18












Test Cap and Test Plugs	Part #
Test Cap for Innovator® Schedule 40 series	**11114**
Green Test Plug with "O"-Ring-Type Washer	**11577**
3/8" Test Plug, metal threads	**11587**
Test Kit for 600 Series bath wastes, plastic	**11565**
Includes one #11577 and one #11594 test plug (listed individually below).	
1/4" Test Plug	**11594**
3/8" Test Plug	**11577**



10121
Strainer Body Removal Tool
Fits standard strainer bodies and the Innovator® Drain crossbars.



11111-set
Color Sample Set


SCHEDULE 40 CONDENSATE ADAPTER




SCH40CD-ABS
SCH40CD-PVC

To include adapter with bath waste, add "-CD" to part number.
Example: 900-FA-PVC-BN-CD

STRAINER BODY MEASURING KIT



11573
6" DIAL CALIPER (4-Way Measure)



11574
thread-gauge Set

11579
Set of both the #11573 and #11574


Pricing available on www.watcomfg.com

WATCO... Always a Step Ahead.™

Innovator® Testable Cable


Innovator CableFlex® • Innovator Cable®

970/980/990-CA



928/938/948-CA

(Same as 970/980/990 except Part #14 is flexible tubing.)



928-CA (Tubs up to 16" deep):
Flexible PVC Tubing: 1.5" x 11.75"
21" Cable (#18)

938-CA (Tubs up to 24" deep):
Flexible PVC Tubing: 1.5" x 20.25"
34" Cable (#18)

948-CA (Tubs up to 36" deep):
Flexible PVC Tubing: 1.5" x 32.0"
48" Cable (#18)

Innovator Cable® Half Kits:

971/981/991-CA

Parts #1 thru #13 and #17 thru #27

Repair Kit
#92900
Parts #4 thru #10
and #17

Optional Features:

#27 92874-__*.ADA Handle
#28 01076 .....Theft-Resistant Device

ITEM	PART#	DESCRIPTION
1	01032__*	Cable Faceplate Screw, 1/4-20x1-3/4 with Screw Guide #01081
2	01019__*	Cable Faceplate
3	01047__*	Cable Overflow Elbow Retainer Nut
4	01037	Cable Adapter/Drive Shaft Screw, #8x5/8
5	01071	Cable Faceplate Adapter - Thin
6	01072	Cable Faceplate Adapter - Medium
7	01073	Cable Faceplate Adapter - Thick
8	20145	Cable Drive Shaft
9	01036	Cable Retainer/Overflow Ell Screw #8x7/8
10	20146	Cable Retainer
11	10694	Overflow Elbow Gasket Half Height
12	10675	Overflow Elbow Gasket
13	11029	1-1/2" Schedule 40 Cable OF Elbow, ABS
	14029	1-1/2" Schedule 40 Cable OF Elbow, PVC
14		970: SCHABS-11.75 Sch 40 Pipe, ABS, 15" x 11.75"
		970: SCHPVC-11.75 Sch 40 Pipe, PVC, 15" x 11.75"
		980: SCHABS-20.25 Sch 40 Pipe, ABS, 15" x 20.25"
		980: SCHPVC-20.25 Sch 40 Pipe, PVC, 15" x 20.25"
		990: SCHABS-32 Sch 40 Pipe, ABS, 15" x 32.00"
		990: SCHPVC-32 Sch 40 Pipe, PVC, 15" x 32.00"
15	14011	1-1/2" Schedule 40 Sanitary Tee, ABS.
	14010	1-1/2" Schedule 40 Sanitary Tee, PVC.
16		970: SCHABS-4.625.Sch 40 Pipe, ABS, 1.5" x 4.625"
		970: SCHPVC-4.625 Sch 40 Pipe, PVC, 1.5" x 4.625"
		980: SCHABS-11.75 Sch 40 Pipe, ABS, 1.5" x 11.75"
		980: SCHPVC-11.75 Sch 40 Pipe, PVC, 1.5" x 11.75"
		990: SCHABS-11.75 Sch 40 Pipe, ABS, 1.5" x 11.75"
		990: SCHPVC-11.75 Sch 40 Pipe, PVC, 1.5" x 11.75"
17	20151-54	Cable Core.
18	20161	Cable Conduit.
19	11016	1-1/2" Schedule 40 Cable Drain Elbow, ABS.
	14016	1-1/2" Schedule 40 Cable Drain Elbow, PVC.
20	10696	Drain Elbow Gasket.
21	01016__*	Strainer Body, Brass, 1.865" - 11.5x1.25".
22	20147	Cable Core Guide
23	92867-__*	Cable Stopper Assembly – includes:
24	20069	Stopper Adjusting Screw
25	11526	Cable Stopper Seal, 1-1/16" .
26	11577	Test Plug with O-Ring-Type Gasket
	OPTIONAL:	
27	92874-__*	ADA Handle and Handle Set Screw.
28	01076	Cable Theft-Resistant Device


* CP s shown please indicate desired finish when ordering.

Pricing available on www.watcomfg.com

Spec Sheets

Flexible Tubing


WatcoFlex® PP Parts List (Flexible; Coarse Thread)



Flexible tubing NOT sold separately.

1	01010CP	Knob, Brass
2	11584	PP 3/8" Pin (11508) and Friction Ring (11504)
3	01013CP	Stopper, Brass
4	11507	Stopper Seal, 1-1/16" dia.
5	01016CP	Strainer Body, Brass, 1.865"-11.5 x 1.25"
6	10696	Drain Ell Gasket, 1.90" I.D., 2.75" O.D., gray
	11027	Direct Drain Tee, 11.5 tpi, Sch. 40 ABS
	11020	Innovator® Overflow Elbow, Sch. 40 ABS
7	OR	
	14027	Direct Drain Tee, 11.5 tpi, Sch. 40 PVC
	14020	Innovator® Overflow Elbow, Sch. 40 PVC
8	10675	Overflow Elbow Gasket, 2-1/4 I.D., 3-1/2 O.D., 5/8" Foam
9	11121	Retainer Star Nut
10	01004CP	Faceplate for Innovator®
11	11577	Test Plug with O-Ring-type Gasket

Flex916/924 Innovator® PP Parts List (Flexible; Coarse Thread)




Flexible tubing NOT sold separately.

1	01010CP	Knob, Brass
2	11584	PP 3/8" Pin (11508) and Friction Ring (11504)
3	01013CP	Stopper, Brass
4	11507	Stopper Seal, 1-1/16" dia.
5	01016CP	Strainer Body, Brass, 1.865"-11.5 x 1.25"
6	10696	Drain Ell Gasket, 1.90" I.D., 2.75" O.D., gray
7	14008	Drain Elbow, 11.5 tpi, Schedule 40, PVC
8	SCHPVC-4.625	
9	14010	Sanitary Tee, Schedule 40, PVC
	(not sold separately)	Flex916: Flexible Tubing, 1.5" x 16.0"
10		Flex924: Flexible Tubing, 1.5" x 24.0"
	#10 FACTORY-WELDED TO #11:	
11	14020	Innovator® Overflow Ell, Schedule 40, PVC
12	10675	Overflow Elbow Gasket, 2-1/4 I.D., 3-1/2 O.D., 5/8" Foam
13	11121	Retainer Star Nut
14	01005CP	Faceplate for Innovator®
15	11577	Test Plug with O-Ring-type Gasket


Pricing available on www.watcomfg.com

OPTIONAL TUB CLOSURES FOR COARSE-THREAD BATH WASTES (FINE-THREAD ON PAGE 50)



PUSH PULL®
Coarse Thread

1. 01010CP
   01010___*
2. 11584
3. 01013CP
   01013___*
4. 11507
5. 01016CP
   01016___*




LIFT & TURN
Coarse Thread

1. 01010CP
   01010___*
2. 11079
3. 11088
4. 11290CP
   01013___*
5. 11507
6. 11492CP
   01016___*



PRESFLO®
Coarse Thread

1. 11145CP
   11145___*
2. 11132
3. 11060CP
   11060___*
4. 96039:
   Suction Cup
   for removing stopper




FOOTACTUATED
Coarse Thread

1. 38412CP
   38412___*
2. 11492CP
   01016___*


* Please indicate desired finish when ordering.

400-PP Parts List (Schedule 40; Fine Thread)



1	01010CP	Knob, Brass
2	11584	PP 3/8" Pin (11508) and Friction Ring (11504)
3	01013CP	Stopper, Brass
4	11507	Stopper Seal, 1-1/16" dia.
5	01022CP	Strainer Body, Brass, 1.625" - 16 - 1.25"
6	10693	Drain Flange Gasket, Perfect Fit®
7	11022	Drain Flange, Perfect Fit®, ABS
	14022	Drain Flange, Perfect Fit®, PVC
8	11023	Drain/Overflow Elbow, Perfect Fit®, ABS
	14023	Drain/Overflow Elbow, Perfect Fit®, PVC
9	SCHABS-4.625	Pipe, Schedule 40 ABS, 1.5" x 4.625"
	SCHPVC-4.625	Pipe, Schedule 40 PVC, 1.5" x 4.625"
10	14011	Sanitary Tee, Schedule 40 ABS
	14010	Sanitary Tee, Schedule 40 PVC
11	SCHABS-11.75	Pipe, Schedule 40 ABS, 1.5" x 11.75"
	SCHPVC-11.75	Pipe, Schedule 40 PVC, 1.5" x 11.75"
12	11023	Drain/Overflow Elbow, Perfect Fit®, ABS
	14023	Drain/Overflow Elbow, Perfect Fit®, PVC
13	11021	Overflow Flange, Perfect Fit®, ABS
	14021	Overflow Flange, Perfect Fit®, PVC
14	10694	Overflow Flange Gasket, Perfect Fit®
15	01002CP	1-Hole Faceplate, Metal
16	01024CP	Faceplate Screw, 2.25"

600-FA Parts List (Schedule 40; Coarse Thread)




1	38412CP	Foot Actuated Stopper, 3/8" pin, ABS plastic
2	11492CP	Strainer Body, Zinc, 1.865"-11.5 x 1.25"
	01016CP	Strainer Body, Brass, 1.865"-11.5 x 1.25"
3	10696	Drain Ell Gasket, 1.90" I.D., 2.75" O.D., gray
4	11008	Drain Ell, Schedule 40 ABS
	14008	Drain Elbow, 11.5 tpi, Schedule 40, PVC
5	SCHABS-4.625	Pipe, Schedule 40 ABS, 1.5" x 4.625"
	SCHPVC-4.625	Pipe, Schedule 40 PVC, 1.5" x 4.625"
6	14011	Sanitary Tee, Schedule 40 ABS
	14010	Sanitary Tee, Schedule 40 PVC
7	SCHABS-11.75	Pipe, Schedule 40 ABS, 1.5" x 11.75"
	SCHPVC-11.75	Pipe, Schedule 40 PVC, 1.5" x 11.75"
8	11009	1-Hole Overflow Ell, Schedule 40 ABS
	14009	1-Hole Overflow Ell, Schedule 40 PVC
9	10675	Overflow Elbow Gasket, 2-1/4 I.D., 3-1/2 O.D., 5/8" Foam
10	01002CP	1-Hole Faceplate, Brass
11	01024CP	Faceplate Screw, 2.25"

Pricing available on www. watcomfg.com

Spec Sheets

Schedule 40

600-TS Parts List (Schedule 40; Coarse Thread)




Part #13 (20200-CP) consists of:

10920 ..... TL Clevis for TS
10932 ..... TS Brass Hex Nut 6-32
10934 ..... TS SS Mach. Screw 6-32
10952 ..... TL Linkage Nut
10953 ..... Top Linkage Eye Bolt
20020CP ..... TS OF Mount w/Prongs
20041 ..... TS Turning Pin
20042 ..... TS Turning Pin Sleeve
20043 ..... Cable Stop

20200-CP
See page 52.

1	01040CP	Strainer Cover Plate Screw
2	01006CP	Strainer Cover Plate
3	11495CP	Strainer Body, Metal, 1.865" - 11.5 - 1.25"
4	10696	Drain Ell Gasket, 1.90" I.D., 2.75" O.D., gray
5	11008	Drain Ell, Schedule 40, ABS
	14008	Drain Elbow, 11.5 tpi, Schedule 40, PVC
6	SCHABS-4.625	Pipe, Schedule 40 ABS, 1.5" x 4.625"
	SCHPVC-4.625	Pipe, Schedule 40 PVC, 1.5" x 4.625"
7	11017	Tee with Seat, Schedule 40 ABS
	14017	Tee with Seat, Schedule 40 PVC
8	SCHABS-12	Pipe, Schedule 40 ABS, 1.5" x 12.0"
	SCHPVC-12	Pipe, Schedule 40 PVC, 1.5" x 12.0"
9	10096	2-Hole Overflow Ell, Schedule 40, ABS
	10098	2-Hole Overflow Ell, Schedule 40, PVC
10	10675	Overflow Elbow Gasket, 2-1/4 I.D., 3-1/2 O.D., 5/8" Foam
11	11531	Retainer Plate for Schedule 40
12	11540	Retainer Plate Screw
13	20200-CP	TURNSTYLE® Assembly
14	10954	5.25" Double-Loop Wire
15	11005	Drop Cylinder, ABS
	14005	Drop Cylinder, PVC
16	01024CP	Overflow Plate Screw, 2.25"
17	20030CP	Cable Faceplate, Brass
18	20140	Cable Faceplate Locking Screw

900-PP Parts List (Schedule 40; Coarse Thread)



1	01010CP	Knob, Brass
2	11584	PP 3/8" Pin (11508) and Friction Ring (11504)
3	01013CP	Stopper, Brass
4	11507	Stopper Seal, 1-1/16" dia.
5	01016CP	Strainer Body, Brass, 1.865"-11.5 x 1.25"
6	10696	Drain Ell Gasket, 1.90" I.D., 2.75" O.D., gray
7	11008	Drain Ell, Schedule 40 ABS
	14008	Drain Elbow, 11.5 tpi, Schedule 40, PVC
8	SCHABS-4.625	Pipe, Schedule 40 ABS, 1.5" x 4.625"
	SCHPVC-4.625	Pipe, Schedule 40 PVC, 1.5" x 4.625"
9	14011	Sanitary Tee, Schedule 40 ABS
	14010	Sanitary Tee, Schedule 40 PVC
10	SCHABS-11.75	Pipe, Schedule 40 ABS, 1.5" x 11.75"
	SCHPVC-11.75	Pipe, Schedule 40 PVC, 1.5" x 11.75"
11	11020	Innovator® Overflow Ell, Schedule 40 ABS
	14020	Innovator® Overflow Ell, Schedule 40 PVC
12	10675	Overflow Elbow Gasket, 2-1/4 I.D., 3-1/2 O.D., 5/8" Foam
13	11121	Retainer Star Nut
14	01005CP	Faceplate for Innovator®
15	11577	Test Plug w/O-Ring-type Gasket


Pricing available on www.watcomfg.com

WATCO... Always a Step Ahead.™

Spec Sheets

Schedule 40

940-PP Parts List (Schedule 40; Fine Thread)




1	01010CP	Knob, Brass
2	11584	PP 3/8" Pin (11508) and Friction Ring (11504)
3	01013CP	Stopper, Brass
4	11507	Stopper Seal, 1-1/16" dia.
5	01022CP	Strainer Body, Brass, 1.625" - 16 - 1.25"
6	10693	Drain Flange Gasket, Perfect Fit®
7	11022	Drain Flange, Perfect Fit®, ABS
	14022	Drain Flange, Perfect Fit®, PVC
8	11023	Drain/Overflow Elbow, Perfect Fit®, ABS
	14023	Drain/Overflow Elbow, Perfect Fit®, PVC
9	SCHABS-4.625	Pipe, Schedule 40 ABS, 1.5" x 4.625"
	SCHPVC-4.625	Pipe, Schedule 40 PVC, 1.5" x 4.625"
10	14011	Sanitary Tee, Schedule 40 ABS
	14010	Sanitary Tee, Schedule 40 PVC
11	SCHABS-11.75	Pipe, Schedule 40 ABS, 1.5" x 11.75"
	SCHPVC-11.75	Pipe, Schedule 40 PVC, 1.5" x 11.75"
12	11020	Innovator® Overflow Ell, Schedule 40 ABS
	14020	Innovator® Overflow Ell, Schedule 40 PVC
13	10675	Overflow Elbow Gasket, 2-1/4 I.D., 3-1/2 O.D., 5/8" Foam
14	11121	Retainer Star Nut
15	01005CP	Faceplate for Innovator®
16	11577	Test Plug w/O-Ring-type Gasket

Spec Sheets

Tubular Plastic

500-PF Parts List (Tubular Plastic; Coarse Thread)




1	11145CP	PF Stopper, Plastic, CT
2	11132	O-Ring, PresFlo® Seal, CT
3	11060CP	Strainer Body, Brass, 1.865"-11.5 x 1.25"
4	10696	Drain Ell Gasket, 1.90" I.D., 2.75" O.D., gray
5	11028	Drain Ell, Coarse-Thread Tubular, ABS
	14028	Drain Ell, Coarse-Thread Tubular, PVC
6	11580	Slip Joint Nut, ABS
	11581	Slip Joint Nut, PVC
7	11583	Slip Joint Polywasher
8	11000	Tee, Tubular ABS
	14000	Tee, Tubular PVC
9	11003	Overflow Ell, Tubular ABS
	14003	Overflow Ell, Tubular PVC
10	10675	Overflow Elbow Gasket, 2-1/4 I.D., 3-1/2 O.D., 5/8" Foam
11	11530	Retainer Plate
12	11540	Retainer Plate Screw
13	01003CP	2-Hole Faceplate, Metal
14	01024CP	Faceplate Screw, 2.25"
15	96039	Suction Cup for removing stopper

Pricing available on www.watcomfg.com

Spec Sheets


Tubular Plastic

500-TQ Parts List (Tubular Plastic; Coarse Thread)



1	01040CP	Strainer Cover Plate Screw
2	01006CP	Strainer Cover Plate
3	11495CP	Strainer Body, Zinc, 1.865" - 11.5 - 1.25"
4	10696	Drain Ell Gasket, 1.90" I.D., 2.75" O.D., gray
5	11028	Drain Ell, Coarse-Thread Tubular, ABS
	14028	Drain Ell, Coarse-Thread Tubular, PVC
6	11580	Slip Joint Nut, ABS
	11581	Slip Joint Nut, PVC
7	11583	Slip Joint Polywasher
8	11000	Tee, Tubular ABS
	14000	Tee, Tubular PVC
9	N/A	QUICK ADJUST® Label
10	11003	Overflow Ell, Tubular ABS
	14003	Overflow Ell, Tubular PVC
11	10675	Overflow Elbow Gasket, 2-1/4 I.D., 3-1/2 O.D., 5/8" Foam
12	11530	Retainer Plate
13	11540	Retainer Plate Screw
14	10700CP	Trip Lever Faceplate Assembly
15	10930	Cotter Pin
16	10950	Trip Lever Quick Adjust® "Q" Clevis
17	10953	Top Linkage Eye BoLT
18	10954	5.25" Double-Loop Wire
19	11005	Drop Cylinder, ABS
	14005	Drop Cylinder, PVC
20	10952	Trip Lever Linkage Nut
21	01024CP	Screw, Overflow Plate, 2.25"

500-TS Parts List (Tubular Plastic; Coarse Thread)



Part #13 (20200-CP) consists of:
10920 ..... TL Clevis for TS
10932 ..... TS Brass Hex Nut 6-32
10934 ..... TS SS Mach. Screw 6-32
10952 ..... TL Linkage Nut
10953 ..... Top Linkage Eye Bolt
20020CP .... TS OF Mount w/Prongs
20041 ..... TS Turning Pin
20042 ..... TS Turning Pin Sleeve
20043 ..... Cable Stop


20200-CP
See page 52.

1	01040CP	Strainer Plate Screw
2	01006CP	Strainer Cover Plate
3	11495CP	Strainer Body, Zinc, 1.865" - 11.5 - 1.25"
4	10696	Drain Ell Gasket, 1.90" I.D., 2.75" O.D., gray
5	11028	Drain Ell, Coarse-Thread Tubular, ABS
	14028	Drain Ell, Coarse-Thread Tubular, PVC
6	11580	Slip Joint Nut, ABS
	11581	Slip Joint Nut, PVC
7	11583	Slip Joint Polywasher
8	11000	Tee, Tubular, ABS
	14000	Tee, Tubular, PVC
9	11003	Overflow Ell, Tubular, ABS
	14003	Overflow Ell, Tubular, PVC
10	10675	Overflow Elbow Gasket, 2-1/4 I.D., 3-1/2 O.D., 5/8" Foam
11	11530	Retainer Plate
12	11540	Retainer Plate Screw
13	20200-CP	TURNSTYLE® Assembly
14	10954	5.25" Double-Loop Wire
15	11005	Drop Cylinder, ABS
	14005	Drop Cylinder, PVC
16	01024CP	Overflow Plate Screw, 2.25"
17	20030CP	Cable Faceplate, Brass
18	20140	Cable Faceplate Locking Screw

Pricing available on www.watcomfg.com

Spec Sheets — Tubular Plastic


590-PP Parts List (Tubular Plastic; Coarse Thread)



1	01010CP	Knob, Brass
2	11584	PP 3/8" Pin (11508) and Friction Ring (11504)
3	01013CP	Stopper, Brass
4	11507	Stopper Seal, 1-1/16" dia.
5	01016CP	Strainer Body, Brass, 1.865"-11.5 x 1.25"
6	10696	Drain Ell Gasket, 1.90" I.D., 2.75" O.D., gray
7	11028	Drain Ell, Coarse-Thread Tubular, ABS
	14028	Drain Ell, Coarse-Thread Tubular, PVC
8	11580	Slip Joint Nut, ABS
	11581	Slip Joint Nut, PVC
9	11583	Slip Joint Polywasher
10	11000	Tee, Tubular ABS
	14000	Tee, Tubular PVC
11	11019	Innovator® Overflow Ell, Tubular ABS
	14019	Innovator® Overflow Ell, Tubular PVC
12	10694	(2) Overflow Flange Gasket, Foam...ea.
13	11121	Retainer Star Nut
14	01005CP	Innovator® Faceplate
15	11114	Innovator® Test Cap
16	11577	Test Plug w/O-Ring-type Gasket

Spec Sheets — Tubular Brass


501- & 502-PF Parts List (Brass; Coarse Thread)



1	11145CP	PRESFLO® Stopper, Plastic, 1.5", for CT
2	11132	PRESFLO® Seal, for CT
3	11060CP	Strainer Body, Brass 1.865" - 11.5 - 1.25"
4	96039	Suction Cup for removing PRESFLO® stopper
5	10696	Drain Ell Gasket, 1.90" I.D., 2.75" O.D., gray
6	44006	Drain Ell, Brass, 1.865" - 11.5
7	17GA-4.75	Drain Ell Tube, Brass (17 Gauge), 4.75"
	20GA-4.75	Drain Ell Tube, Brass (20 Gauge), 4.75"
8	41580	Brass Slip Nut
9	11583	Slip Joint Polywasher
10	17GA-3.5	Tail Piece (17 Gauge), 3.5"
	20GA-3.5	Tail Piece (20 Gauge), 3.5"
11	44001	Brass Tee
12	17GA-9.625	Overflow Ell Tube (17 Gauge), 9.625"
	20GA-9.625	Overflow Ell Tube (20 Gauge), 9.625"
13	44003	Brass Overflow Ell
14	40675	Overflow Ell Washer for Brass
15	11530	Retainer Plate
16	41540	Brass Screw for Brass Retainer Plate
17	01003CP	2-Hole Faceplate, Metal
18	01024CP	Faceplate Screw


Pricing available on www.watcomfg.com

501- & 502-TQ & Trip Lever Parts List (Brass; Coarse Thread)



1	01040CP	Strainer Cover Plate Screw
2	01006CP	Strainer Cover Plate
3	11495CP	Strainer Body, Zinc, 1.625" - 11.5 - 1.25"
4	10696	Drain Ell Gasket, 1.90" I.D., 2.75" O.D., gray
5	44006	Brass Drain Ell, 1.865" - 11.5
6	17GA-4.75	Drain Ell Tube, Brass (17 Gauge), 4.75"
	20GA-4.75	Drain Ell Tube, Brass (20 Gauge), 4.75"
7	41580	Brass Slip Nut
8	11583	Slip Joint Polywasher
9	17GA-3.5	Tail Piece (17 Gauge), 3.5"
	20GA-3.5	Tail Piece (20 Gauge), 3.5"
10	44001	Brass Tee
11	17GA-9.625	Overflow Ell Tube (17 Gauge), 9.625"
	20GA-9.625	Overflow Ell Tube (20 Gauge), 9.625"
12	44003	Overflow Ell, Brass
13	40675	Overflow Ell Washer for Brass
14	11530	Retainer Plate
15	41540	Brass Screw for Brass Retainer Plate
16	10700CP	TL Faceplate Assembly
17	10930	Cotter Pin (Not shown-behind FAce plate)
18	10950	Quick Adjust "Q" Clevis
19	10953	Top Linkage Eye BoLT
20	10954	5.25" Double-Loop Wire
21	41005	Brass Drop Cylinder for Brass
22	10952	TL Linkage Nut
23	01024CP	Screw, Overflow Plate, 2.25"

591-PP Parts List (Brass; Coarse Thread)



1	01010CP	Knob, Brass
2	11584	PP 3/8" Pin (11508) and Friction Ring (11504)
3	01013CP	Stopper, Brass
4	11507	Stopper Seal, 1-1/16" dia.
5	01016CP	Strainer Body, Brass, 1.865"-11.5 x 1.25"
6	10696	Drain Ell Gasket, 1.90" I.D., 2.75" O.D., gray
7	44006	Drain Ell, Brass
8	17GA-4.75	Drain Ell Tube, Brass (17 Gauge), 4.75"
	20GA-4.75	Drain Ell Tube, Brass (20 Gauge), 4.75"
9	41580	Brass Slip Nut
10	11583	Slip Joint Polywasher
11	17GA-3.5	Tail Piece (17 Gauge), 3.5"
	20GA-3.5	Tail Piece (20 Gauge), 3.5"
12	44001	Brass Tee
13	17GA-9.625	Overflow Ell Tube (17 Gauge), 9.625"
	20GA-9.625	Overflow Ell Tube (20 Gauge), 9.625"
14	44005	Overflow Ell, Brass for Innovator®
15	10675	Overflow Elbow Gasket, 2-1/4 I.D., 3-1/2 O.D., 5/8" Foam
16	11121	Retainer Star Nut
17	01005CP	Innovator® Faceplate
18	11114	Innovator® Overflow Ell Test Cap
19	11577	Test Plug with O-Ring-type Gasket

Pricing available on www.watcomfg.com

Terms and Conditions
Policies and Miscellaneous Information

Selling Policy: Possession of our list or jobber discount sheet is not an offer to sell. All orders are subject to acceptance by the home office in Independence,Missouri.

Taxes and Government Regulations: Sales or manufacturer's tax imposed under any existing or future statutes shall be added to of the merchandise effective at the time shipment is made.

Cash Discount: 3% 15 days from date of invoice or 2% 10th prox. Net EOM.

Freight Allowance: All goods sold F.O.B. Independence, Missouri. For shipments in the continental United States and Canada, full freight will be allowed on orders of $2,500 list or more. See Mobile Home & RV Supplies list sheet for exceptions. We reserve the right to ship the most economical way.

Foreign Shipments (including Alaska & Hawaii) will be allowed full freight, according to the conditions listed above, only to the embarkation point in the continental United States.

Shipping Policy: It will be our policy to ship all orders for standard items within two working days after we receive the order. This policy will be followed unless delays are caused by circumstances beyond our control.

Claims, Shortages and Damage: Any claims for shortages or goods damaged in transit must be made within 10 days after receipt of merchandise. All claims should be made to the delivering carrier by the consignee.

Prices, Designs and Quotations: Prices, designs and dimensions of products are subject to change without notice. Quotations, unless otherwise stated, are for immediate acceptance, and s quoted are based on the seller's standard tolerances of materials. We reserve the right to invoice all merchandise at prices in effect at the time of shipment.

Cancellations: Orders covering special merchandise are not subject to cancellation without our written permission. Purchaser subject to expense incurred by cancellation of special orders.

Limited Warranty: All Watco bath wastes and accessories carry a limited five-year (5) warranty against defects in material and workmanship.

Watco will repair, replace, or issue credit (at our option)for defective goods that are returned for inspection and found defective. WE WILL NOT BE RESPONSIBLE FOR ANY LABOR CHARGES OR ANY LOSS, INJURY OR DAMAGES WHATSOEVER, INCLUDING INCIDENTAL OR CONSEQUENTIAL DAMAGES.

Returned Merchandise: Written permission must be obtained from a WATCO representative prior to the return of ANY material. Return of non-defective material with Chrome finish is subject to a minimum 25% restocking charge, plus re-boxing charges. Other finishes and special lengths are subject to a minimum of 50% restocking charge, plus re-boxing charges. Defective material is subject to the limited warranty stated above. Credit will NOT be issued for material received at Watco in non-resalable condition or obsolete merchandise.

Pricing available on www.watcomfg.com

New Packaging for Carded Items





To order, place a "-C" at end of part number.

Example:
48701-PP-BZ-2P-C

Available for most Trim Kits and Tub Closures




TechNotes

SCHEDULE 40 OPTIONS		
2-Hole Overflow Elbow and Faceplate		2H
Add Adapter Bar and Star Nut		11
Condensate Adapter included on bath waste		CD
Drain Extension, ABS	D(length)	per inch:
Drain Extension, PVC	D(length)	per inch:
(Advise length from center line of drain elbow to center line of tee.)		
Innovator® Sch40 Drains without any testing		LMT
Innovator® Overflow Thread Extender		OEX
Factory-installed. (Extends overflow elbow from 11/4" to 13/4")		
No Tee		NTEE
No Tee or Pipe		13
Overflow Extension, ABS	EX(length)	per inch:
Overflow Extension, PVC	EX(length)	per inch:
(Advise length from center line of overflow elbow to center line of tee.)		
"PUSH" etched both sides of PRESFLO® disk		E
Sanitary Tee added to a Half Kit		T
Test Cap (#11114), no membrane (Innovator®)		TC
Test Kit (600's) using 2-hole overflow elbow with adapter bar,		
Test Kit (for 600 Series), plastic,		T6
includes #11575 and #11594 test plugs		

TUBULAR PLASTIC OPTIONS	
Brass Drop Cylinder (Plastic Trip Levers only)	**BD**
Condensate Drain (Tubular Plastic)	**CD**
Drain Extension	**D(length)**
(Advise length from center line of drain elbow to center line of tee.)	
Innovator® Drains without any testing	**LTK**
Overflow Extension	**EX(length)**
(Advise length from center line of overflow elbow to center line of tee.)	
"PUSH" etched both sides of PRESFLO® disk	**E**
Removable Tailpiece (Non-Trip Lever)	**RT2**
Removable Tailpiece (Trip Lever only) and	
"O"-Ring Seal	**RT1**


QUICK ADJUST® Bath Wastes

QUICK ADJUST® Installation



A Establish rough-in length at overflow elbow scale.

B Adjust threaded-rod end on the linkage clevis until the number matches the number on the overflow elbow scale.



NOTE:


Typical installation for:

Model 500-TQ(ABS or PVC)
Model 501-TQ(17ga Brass)
Model 502-TQ(20ga Brass)

ADA


PRESFLO® Bath Wastes

How PRESFLO® Works




A rounded channel [1] is included in the upper part of the strainer body which is compatible with the rounded edges [2] of the PRESFLO® stopper. When the stopper edge is pressed to open, the rounded edges on both sides fit into the rounded channel in the strainer body, forming an operating axis. This happens no matter where you press down on the circular stopper edge.

ADA



Closed portion.

Press any edge to open.



Stopper disc, with Buna-N-Seal, in open position.

Press top edge toward side to close.



To remove the PRESFLO® stopper from the strainer body, attach the furnished suction cup and pull straight up.

Pricing available on www.watcomfg.com

WATCO... Always a Step Ahead.™

TechNotes

Tubular Brass options		
Brass Ferrules (Includes 2)		F
Brass Half Ferrules (Includes 2)		HF
Condensate Drain (Brass Tubular)		CD2
Condensate Drain for Innovator Brass		CD3
Extension - Drain, 17 Gauge D(length)	D(length)	per inch:
Extension - Drain, 20 Gauge D(length)	D(length)	per inch:
(Advise length from center line of drain elbow to center line of tee.)		
Extension - Overflow, 17 Gauge	EX(length)	per inch:
Extension - Overflow, 20 Gauge	EX(length)	per inch:
(Advise length from center line of overflow elbow to center line of tee.)		
Extension - Tailpiece, 17 Gauge	TX(length)	per inch:
Extension - Tailpiece, 20 Gauge	TX(length)	per inch:
Innovator® Drains without any testing		LTK
"PUSH" etched both sides of PRESFLO® disk		E

Understanding

RI's and SF's...

A Complete Bath Waste is made up of both the RI (Rough-In) and the SF (Stopper/Faceplate).


Purchase a Complete Bath Waste if installation will be completed in one operation.


A Rough-In (RI) has all the bath waste parts that go behind and below the tub AND has the Strainer Body. It does NOT have the faceplate or stopper assembly.


Purchase a Rough-In (RI) when the faceplate and stopper will be installed later.


A Stopper/Faceplate (SF) is NOT a trim kit. It usually contains only the stopper and faceplate and is to be installed after installation of the roughed-in part of the bath waste has been completed.

Purchase a Stopper/Faceplate (SF) to complete Rough-In.









Removing Stoppers from Strainer Bodies

Lift and Turn & PUSH PULL® Stoppers:

1. Close stopper.
2. With cloth protecting knob and stopper, use pliers/wrench to turn knob counter-clockwise to unscrew from stopper.
3. Using flat-head screw driver in slot in top of exposed brass pin, turn pin counter-clockwise to remove pin from crossbars in strainer body.

Standard Foot Actuated Stoppers:

1. Remove flat cap of stopper by turning it counter-clockwise.
2. Use flat-head screwdriver to unscrew pin from crossbars in strainer body. DO NOT DISASSEMBLE REST OF STOPPER.

Universal NuFit® Foot Actuated Stoppers:

DO NOT REMOVE FOOT ACTUATED STOPPER FROM BODY OF PRODUCT. CONTACT THE FACTORY.

Converting from Coarse-Thread Trip Lever Bath Wastes to:

Lift and Turn Stopper: Kit 58290-___ pg 50.
Push Pull® Stopper: Kit 38290-___ pg 50.
PresFlo® Stopper: Kit 38250-___ pg 50.
Foot Actuated Stopper: Kit 68290-___ pg 50.

Pricing available on www.watcomfg.com

Call your authorized WATCO Representative for assistance.

Representative	Coverage	Address	Phone	Fax
		East		
Altherm, Inc.	NYC - North NJ	1040 Wilt Ave. Ridgefield, NJ 07657	800-258-4376	201-871-0314
Barger & Associates	Wash D.C. - MD - VA	101 Production Drive, Suite 104, Yorktown, VA 23693	757-873-4574	757-873-9530
Pinnacle Sales	West PA - WV	3862 East Street, Pittsuburgh, PA 15214	412-461-9663	412-461-9967
Rich-Tomkins Co.	DE, Central/E PA, S. NJ	235 Bridgewater Road, Aston, PA 19014	610-859-3552	610-859-6080
Twin D Associates	Upstate NY	1184 Troy Schenectady Road, Suite 101, Latham, NY 12110	518-862-9500	518-464-3410
Futura Sales Inc.	CT-MA-ME-NH-RI-VT	1451 Concord Street Unit 6, Framingham, MA 01701	508-788-9257	508-788-9258
		South		
C.A. Riner	Arkansas	7620 Hardin Drive . North Little Rock, AR 72117	501-834-1400	501-834-1407
Quality Marketing	North & South Carolina	1327 Wood Branch Drive, Suite J, Charlotte, NC 28273	704-599-9407	704-599-0595
Coleman-Russell & Associates	AL, LA, MS, FL Panhdle	949 Alton Parkway, Birmingham, AL 35210	205-833-0700	205-836-6528
PMI Sales & Marketing - Dallas	North Texas	4415 Simonton, Dallas, TX 75244	972-490-4631	972-934-0860
PMI Sales & Marketing - Houston	Southeast Texas	8967 Market Street, Houston, TX 77029	713-674-8735	713-672-6000
PMI Sales & Marketing - San Antonio	South Central Texas	1924 Shipman, San Antonio, TX 78219	210-223-6975	210-271-9054
Spotswood, Cotton and Welsh, Inc	Georgia	6235 Atlantic Blvd, Norcross, GA 30071	770-447-1227	770-263-6899
Carr Company	South Florida	6000 Park of Commerce Blvd, Boca Raton, FL 33487	561-997-0999	561-997-2633
Carr Company	North Florida	6306 Benjamin Road, Suite 614, Tampa FL 33634	813-901-8552	813-901-8555
Wiggs-Haun & Bohan	Tennessee	7013 Westbelt Drive, Nashville, TN 37209	615-350-8334	615-350-8559
Windham Company	Northwest Texas	3408 79th Street, Lubbock, TX 79423	806-791-2888	806-791-2999
		Midwest		
Allied Systems, Inc.	Nebraska	6636 F Street Omaha, NE 68117	515-223-6642	515-224-4648
	Iowa	2200 East Douglas Avenue, Des Moines, IA 50313	515-223-6642	515-224-4648
Bennerotte Marketing Agency	MI-MN-ND-SD-WI	14332 21st Avenue North, Suite 100, Plymouth, MN 55447	763-544-8611	763-544-7084
Burke Agency, Inc.	Lower W. MI	8593 Byron Commerce Drive S.W., Byron Center, MI 49315	616-878-7300	616-583-1239
Burke Agency, Inc.	Lower E. MI	2605-A East Oakley Park Road, Walled Lake, MI 48390	248-669-2800	248-669-3310
Disney McLane & Associates Inc.	East KY-South OH	7737 Reinhold Drive, Cincinnati, OH 45237	513-861-1682	513-487-5337
Evergreen Sales Inc.	North/Central Illinois	10901 Union Special Plaza, Suite 211, Huntley, IL 60142	847-512-7303	847-512-7307
Gateway Representatives	S. IL - W. KY - E. MO	572 Leffingwell Avenue, St Louis, MO 63122	314-835-1818	314-835-1888
Libb Co Inc.	Northern Ohio	7860 N Central Drive, Lewis Center, OH 43035	740-549-1516	740-548-0985
Manufacturers Marketing, Inc.	Indiana	5342 West 78th Street, Indianapolis, IN 46268	317-867-5004	317-896-3561
NSC Marketing Group Inc.	West Oklahoma	46 E Hill Street, Oklahoma City, OK 73105	405-602-2800	405-602-2824
NSC Marketing Group Inc.	East Oklahoma	5117 S 110th E Ave, Tulsa, OK 74146	918-627-5340	918-664-1408
Sand Sales & Marketing	Mobile Home Sales	11062 Meads, Orange, CA 92869	909-229-8799	714-288-9704
Summit Sales	Kansas - West MO	1803 East 123rd Terrace, Olathe, KS 66061	913-791-9599	913-791-9598
Tradeline Sales	WI, Upper MI	N 93 /w 14665 Whittaker Way, Menomonee Falls, WI 53051	262-782-2870	262-782-6441
Tradeline Sales	WI, Upper MI	1711 Ontario Road, Green Bay, WI 54311	920-339-0158	920-339-0159
		West		
Gleason-Tait Marketing	South Idaho - Utah	1173 South 425 West #1, Bountiful, UT 84010	801-296-0427	801-296-0394
Gleason-Tait Marketing	South Idaho - Utah	1771 Siesta Drive, Sandy, UT 84093	801-942-3711	801-942-5646
Hollabaugh Bros. & Assoc.	Oregon	3028 SE 17th Avenue, Portland, OR 97202	503-238-0313	503-235-2824
Hollabaugh Bros. & Assoc.	North ID - WA - Hawaii	19307 70th Ave S, Kent, WA 98032	253-867-5040	253-867-5055
Renco Sales, Inc	South CA	1450 Railroad Street, Corona, CA 92882	951-371-8848	951-371-3635
Zurier Co	N. CA - N. Nevada	6147 A Industrial Way, Livemore, CA 94551	916-386-7500	916-386-7506
Rocky Mountain Sales, Inc.	CO-MT-S.W. SD-WY	150 Capital Dr, Suite 420, Golden, CO 80401	303-289-4191	303-286-9069
PIR Sales Inc	Arizona, S. Nevada	3050 N. San Marcos PL, Chandler AZ 85225	480-892-6000	480-892-6096
WW Sales Company	NM - El Paso area	3500 Richmond NE, Suite A, Albuquerque, NM 87107	505-878-0636	505-878-0638
		Canada		
Agence Laverdure-Huppe	Quebec	1280 Godin, Laval, QC, Canada H7E 2T2	450-661-4238	450-661-7309
ARMCO Agencies Inc.	Greater Toronto	5635 McAdam Road, Mississauga, ON, Canada L4Z 1N9	905-238-8448	905-238-8863
Delaney & Associates	Alberta	145 Tuscany Ridge Park NW, Calgary, AB T3L 2H6	403-585-7773	403-590-9335
Hy-Line Sales LTD	British Columbia	71A Clipper St, Coqitlam, BC V3K 6X2	604-856-5648	604-856-8684
Les Ventes Bergeron Sales Inc.	North Ontario	392 Craig Street, Russell, ON K4R 1C8	613-445-4170	613-445-0642
Jones Goodridge	Saskatchewan	3200-12th Avengue, Regina, SK S4T 1J9	306-585-2854	306-585-2855
Jones Goodridge	Manitoba	1522 James St, Winnipeg, Manitoba R3H 0L2	204-632-6221	204-633-0941

WATCO
Always a step ahead®

WATCO MANUFACTURING COMPANY, LLC

1220 South Powell Road • Independence, MO 64057-2724

PHONE: 816-796-3900 • 800-821-8576

EMAIL sales@watcomfg.com • WEBSITE: www.watcomfg.com

Representative Questions?

Call Watco For Assistance
1-800-821-8576
Sales@watcomfg.com

WATCO MANUFACTURING COMPANY, LLC
1220 South Powell Road • Independence, MO 64057-2724
PHONE: 816-796-3900 • 800-821-8576
EMAIL sales@watcomfg.com • WEBSITE: www.watcomfg.com